

2014



# Professional HEX Tools



















*Inch & Metric*







## *Complete Hex Program*

















**Wiha Hex Tools Index**

	DESCRIPTION	Page
	T-handles	13
	PocketStar Fold Outs	17
	L-keys - Long/Short Nickel & Black Finish	18-20
	Insulated T-handle	21
	Insulated Hex Drivers	21
	Insulated L-keys	22
	Insulated Sockets	22
	Drive-Loc VI Blades	23
	ESD Safe Precision	26
	Precision	28
	PicoFinish	27
	SYSTEM 4 Blades	29
	SYSTEM 4 Micro Bits	31
	Insert/Power Bit Sets	32
	XSelectors	34
	Bit Insert & Power Bits	35-37
	Sockets	38-40









**Wiha Security Hex Index**

	DESCRIPTION	Page
	SYSTEM 4 Micro Bits	31
	Insert Bits	35
	Sockets	39-40







**Wiha Ball End Hex Tools Index**

	DESCRIPTION	Page
	Ball End L-keys & Sets Chrome Finish	6
	Colored Coded L-keys Chrome Finish	5
	Ball End L-keys & Sets Long, Mid-Length & Short Black Finish	7-9
	Stainless Steel L-keys & Set	7
	Soft Grip T-handles Chrome & Black Finish	11-12
	3K Series Screwdrivers	16
	Drive-Loc VI Blades	23
	Precision	29
	PicoFinish Soft Grip	27
	SYSTEM 4 Blades	29
	Stubby Bit Holder Sets	32
	Ball End Hex Insert Bit	36
	Ball End Hex Socket	39






**MagicRing Screw Holding Hex Tools Index**

	DESCRIPTION	Page
	L-keys Screw Holding	4
	T-handles Screw Holding	10
	SoftFinish Screw Holding Cushion Grip	14-15
	PocketStars Screw Holding	17
	Insert Bits Screw Holding	33
	Power Bits Screw Holding	33
	Bit-Selectors Screw Holding Insert & Power Bits	33,34








**Wiha Drive-Loc VI Index**

	<b>DESCRIPTION</b>	<b>Page</b>
	Drive-Loc VI Handle SoftFinish® Cushion Grip	23
	Drive-Loc VI Handle ESD Safe Cushion Grip	23
	Drive-Loc VI Handle MicroFinish Non-Slip Grip	23
	Drive-Loc VI Blades	23
	Ball End Hex & Hex Inch/Metric	23
	Drive-Loc VI Blade Set	23






**Wiha TorqueControl Tools Index**

	<b>DESCRIPTION</b>	<b>Page</b>
	TorqueFix Handle	24
	TorqueVario Handle	24
	Hex Inch/Metric Blades	24
	T-handle Torque Tools	25
	Hex Inch/Metric Blades	25







**Wiha Bit Sets Index**

	<b>DESCRIPTION</b>	<b>Page</b>
	MicroBit Sets	31
	Stubby Bit Holder Sets	32
	Topra Bit Sets	32
	Bit Selector Sets	33
	Power Bit Belt Packs	34
	XSelectors	34
	PokitPaks	34

**Wiha Power & Insert Bits Index**

	<b>DESCRIPTION</b>	<b>Page</b>
	MagicRing Hex Inch & Metric Insert/Power Bits	33
	Hex Inch & Metric Insert/Power Bits	35-37
	Security Bits Inch & Metric Insert/Power Bits	35
	Ball End Hex Inch & Metric	36
	Stainless Steel Metric	36

**Wiha Sockets & Sets Index**

	<b>DESCRIPTION</b>	<b>Page</b>
	Insulated Sockets	22
	Hex Bit Sockets 1/4" Drive	38-39
	Hex Bit Sockets 3/8" Drive	39
	Ball End Sockets	39
	6" Bit Sockets 1/4" & 3/8" Drive	38
	Socket Sets	40



**MagicRing Ball End Hex Keys**




**Ball End Hex Keys**  
Chamfered ends for easy insertion

**Ball End Hex Keys**  
Wiha exclusive Chrome-V-Moly super tool steel, hardened, hard chromed, screw holding

**ErgoStar Holder**  
Every key can be taken out separately without having to move another key

U.S. Patent 6,302,001 B1



Hard Chrome Finish

[SHOP](#)

**669** MagicRing Ball End **Metric** Hex L-key Long blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	mm	mm	mm	lbs.	pkg.	
66904*	1.5	90	14	.01	10	No Ring
66908*	2.0	99	16	.01	10	No Ring
66912*	2.5	111	18	.01	10	No Ring
<b>MagicRing</b>						
66916	3.0	125	20	.02	10	
66920	4.0	138	25	.04	10	
66924	5.0	158	28	.07	10	
66928	6.0	178	32	.12	10	
66936	8.0	198	36	.23	10	
66944	10.0	221	40	.40	10	

\* Standard Ball - No Ring



Hard Chrome Finish


[SHOP](#)

**66990** 9 Pc. MagicRing Long **Metric** Ball End Hex L-key Set, In ErgoStar Holder Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	mm	mm	mm	mm	lbs.	
66990	66904*	1.5	90	66924	5.0	158
	66908*	2.0	99	66928	6.0	178
	66912*	2.5	111	66936	8.0	197
	66916	3.0	125	66944	10.0	221
	66920	4.0	138			

\* Standard Ball - No Ring

# Screw Holding Hex Tools!




Hard Chrome Finish

[SHOP](#)

**669** MagicRing Ball End Inch Hex L-key, Long blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.	
66945*	.050	2.8	.5	.01	10	No Ring
66946*	1/16	3.1	.6	.01	10	No Ring
66947*	5/64	3.5	.7	.01	10	No Ring
66950*	3/32	3.9	.7	.01	10	No Ring
66952*	7/64	4.3	.7	.02	10	No Ring
<b>MagicRing</b>						
66953	1/8	4.6	.8	.02	10	
66955	9/64	5.2	.9	.03	10	
66956	5/32	5.7	1.0	.04	10	
66959	3/16	6.2	1.1	.06	10	
66962	7/32	6.7	1.2	.09	10	
66965	1/4	7.3	1.2	.13	10	
66968	5/16	8.0	1.4	.22	10	
66971	3/8	8.8	1.6	.36	10	

\* Standard Ball - No Ring



Hard Chrome Finish

[SHOP](#)

**66991** 13 Piece MagicRing Long Inch Ball End Hex L-key Set, In ErgoStar Holder Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	Inch	lbs.	
66991	66945*	.050	2.8	66956	5/32	5.7
	66946*	1/16	3.1	66959	3/16	6.2
	66947*	5/64	3.5	66962	7/32	6.7
	66950*	3/32	3.9	66965	1/4	7.3
	66952*	7/64	4.3	66968	5/16	8.0
	66953	1/8	4.6	66971	3/8	8.8
	66955	9/64	5.2			

\* Standard Ball - No Ring




[SHOP](#)

**66992** 22 Piece Combination MagicRing L-key Set, In ErgoStar Holder Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	lbs.
66992	Set includes Inch & Metric: 2.02
	66990 Set - 1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
	66991 Set - .050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"


\* Standard Ball - No Ring

**Inch & Metric Ball End Hex Keys Color Coded**



Wiha exclusive Chrome-V-Moly super tool steel, through hardened


Wiha standard extra long for extended reach



Color coding for immediate identification of L-keys

Corrosion resistant nickel chrome base finish

25° Working Angles



25° Angle  
For angle entry





**SHOP**

**569 Ball End Inch Hex Long Arm L-key, Set With Color**

**Coded Keys** Blade Chrome-V-Moly, hardened.

Item	No.	Color Key	Inch
56901	Brown	.050	<b>*Inch sizes</b>
56902	Green	1/16	<b>available</b>
56903	Chrome	5/64	<b>March 2014</b>
56904	Blue	3/32	
56905	Purple	7/64	
56906	Red	1/8	
56907	Copper	9/64	
56908	Gold	5/32	
56909	Grey	3/16	
56910	Black	7/32	
56911	Chrome	1/4	
56912	Green	5/16	
56913	Brown	3/8	





**SHOP**

**569 Ball End Metric Hex Long Arm L-key, Set With Color**

**Coded Keys** Blade Chrome-V-Moly, hardened.

Item	No.	Color Key	mm	mm	mm	lbs.
56914	brown	1.5	91	15	.005	
56915	green	2.0	101	18	.009	
56916	chrome	2.5	113	20	.017	
56917	blue	3.0	128	23	.019	
56918	purple	4.0	142	29	.04	
56919	red	5.0	163	33	.06	
56920	Copper	6.0	184	38	.10	
56921	gold	8.0	206	44	.20	
56922	grey	10.0	231	50	.38	






**SHOP**

**36986 13 Piece Inch Ball End Hex Long L-key Set With Color**

**Coded Keys** Chrome-V-Moly, hardened

Item No.	Inch:	lbs.
36986	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	.90






**SHOP**

**36987 9 Piece Metric Ball End Hex Long L-key Set With Color**

**Coded Keys** Chrome-V-Moly, hardened

Item No.	Metric:	lbs.
36987	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	.90

**Metric Ball End Hex Keys Chrome Finish**



**669** Ball End **Metric** Hex L-key, Long Arm


Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	mm	mm	mm	lbs.	pkg.
66904	1.5	90	14	.004	10
66908	2.0	99	16	.007	10
66912	2.5	111	18	.012	10
66918	3.0	125	20	.019	10
66922	4.0	138	25	.042	10
66926	5.0	158	28	.072	10
66930	6.0	178	32	.12	10
66937	8.0	198	36	.23	10
66938	10.0	221	40	.40	10



**66994** 9 Piece **Metric** Ball End Hex Long L-key Set

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0,	
66994	5.0, 6.0, 8.0, 10.0mm	lbs. .98



**66995** 6 Piece **Metric** Ball End Hex Long L-key Set

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm	
66995		lbs. .21



**66998** 11 Piece **Metric** Ball End Hex Long L-key Set

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0,	
66998	5.0, 6.0, 7.0, 8.0, 9.0, 10.0mm	lbs. 1.36

**Inch Ball End Hex Keys Chrome Finish**



**369** Ball End **Inch** Hex L-key, Long Arm

Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.
36940	.050	2.8	.5	.002	10
36941	1/16	3.1	.6	.004	10
36942	5/64	3.5	.7	.007	10
36943	3/32	3.9	.7	.010	10
36948	7/64	4.3	.7	.016	10
36949	1/8	4.6	.8	.021	10
36951	9/64	5.2	.9	.029	10
36954	5/32	5.7	1.0	.035	10
36957	3/16	6.2	1.1	.059	10
36958	7/32	6.7	1.2	.092	10
36960	1/4	7.3	1.2	.13	10
36961	5/16	8.0	1.4	.22	10
36963	3/8	8.8	1.6	.36	10



**36998** 13 Piece **Inch** Ball End Hex Long L-key Set, In Plastic Holder Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8,	
36998	9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	lbs. 1.0



**66993** 2 Pack **Inch & Metric** Ball End Hex L-key Sets High alloy Chrome-V-Moly, hardened, hard chrome finish. In molded Holders


Item No		
66993	2 Sets with 22 L-keys include:	lbs.
	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	2.0
	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	



**ErgoStar Ball End Hex Keys Chrome Finish**





Fast Auto Open Key Holder

<b>66996</b>	<b>9 Piece ErgoStar Metric Ball End Hex Long L-key Set</b>	
<b>Item No.</b>	<b>Metric:</b> 1.5, 2.0, 2.5, 3.0, 4.0, 5.0,	
<b>66996</b>	6.0, 8.0, 10.0mm	lbs. 1.02




Fast Auto Open Key Holder

<b>66988</b>	<b>13 Piece ErgoStar Inch Ball End Hex Long L-key Set</b>	
<b>Item No.</b>	<b>Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8,	
<b>66988</b>	9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	lbs. 1.08



Fast Auto Open Key Holder


<b>66982</b>	<b>22 Piece ErgoStar Inch/Metric Ball End Hex Long L-key Set</b>	
<b>Item No.</b>	<b>Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8,	
<b>66982</b>	9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	lbs. 2.10
	<b>Metric:</b> 1.5, 2.0, 2.5, 3.0, 4.0, 5.0,	
	6.0, 8.0, 10.0mm	





**ErgoStar Inch Ball End L-key Set**


- Patented ErgoStar auto open key holder
- Keys of chrome-vanadium-molybdenum steel
- 60HRC through hardened durability
- Hard chrome finish for best wear resistance

**Stainless Steel Metric Ball End Hex Key**




<b>369</b>	<b>Stainless Steel Ball End Metric Hex L-key, Long Arm</b>	
	Blade hardened, hard chrome finish.	
<b>Item</b>		
<b>No.</b>	mm	mm
<b>36911</b>	1.5	91
<b>36913</b>	2.0	101
<b>36914</b>	2.5	113
<b>36915</b>	3.0	128
<b>36917</b>	4.0	142
<b>36918</b>	5.0	163
<b>36919</b>	6.0	184
<b>36921</b>	8.0	206
<b>36922</b>	10.0	231




<b>36988</b>	<b>9 Pc. Stainless Steel Ball End L-key Set</b>	
	In molded ergo holder	
<b>Item No.</b>		
<b>36988</b>	<b>Metric:</b> 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm	lbs. .88
	6.0, 8.0, 10.0mm	

**L-keys Black Finish Sets**



<b>36995</b>	<b>2 Pack Inch &amp; Metric Ball End Hex L-key Sets</b>	High alloy Chrome-V-Moly, hardened, black finish.
<b>Item No</b>		
<b>36995</b>	2 Sets with 22 L-keys include:	lbs. 2.21
	Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	
	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	



<b>36696</b>	<b>3 Pack Inch &amp; Metric Mid-Length Ball End Hex &amp; TORX L-key Sets</b>	Blade Chrome-V-Moly, hardened, black finish.
<b>Item No</b>		
<b>36696</b>	3 Sets with Hex & TORX L-keys include:	lbs. 2.58
	<b>Metric:</b> 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	
	<b>Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	
	<b>TORX:</b> T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	

**Metric Ball End Inch & Metric Hex Keys Black Finish**




**Ball End Hex Keys**  
Chamfered ends for easy insertion

**Ball End Hex L-keys**  
Working angle up to 25°

See Short Arm L-keys on Page 19 & 20



**369** Ball End Hex **Metric** L-key, Long Arm  
Blade Chrome-V-Moly, hardened, black finish.

For angle entry 

[SHOP](#)


Item No.	mm	mm	mm	lbs.	pkg.
36904	1.5	90	14	.004	10
36908	2.0	99	16	.007	10
36912	2.5	111	18	.012	10
36916	3.0	125	20	.019	10
36920	4.0	138	25	.042	10
36924	5.0	158	28	.072	10
36928	6.0	178	32	.12	10
36936	8.0	198	36	.23	10
36944	10.0	221	40	.40	10



**36990** 9 Piece **Metric** Ball End Hex Long L-key Set  
Blade Chrome-V-Moly, hardened, black finish.

[SHOP](#)


Item No.	mm	mm	mm	mm	lbs.
36990	36904	1.5	90	36924	5.0 158
	36908	2.0	99	36928	6.0 178
	36912	2.5	111	36936	8.0 198
	36916	3.0	125	36944	10.0 221
	36920	4.0	138		




**36992** 6 Piece **Metric** Ball End Long Hex L-key Set  
Blade Chrome-V-Moly, hardened, black finish.

[SHOP](#)

Item No.	mm	mm	mm	mm	lbs.
36992	36904	1.5	90	36916	3.0 125
	36908	2.0	99	36920	4.0 138
	36912	2.5	111	36924	5.0 158



**369** Ball End Hex Inch L-key, Long Arm  
Blade Chrome-V-Moly, hardened, black finish.

For angle entry 

[SHOP](#)

Item No.	Inch	Inch	Inch	lbs.	pkg.
36945	.050	2.8	.5	.002	10
36946	1/16	3.1	.6	.004	10
36947	5/64	3.5	.7	.007	10
36950	3/32	3.9	.7	.010	10
36952	7/64	4.3	.7	.016	10
36953	1/8	4.6	.8	.021	10
36955	9/64	5.2	.9	.029	10
36956	5/32	5.7	1.0	.035	10
36959	3/16	6.2	1.1	.059	10
36962	7/32	6.7	1.2	.092	10
36965	1/4	7.3	1.2	.13	10
36968	5/16	8.0	1.4	.22	10
36971	3/8	8.8	1.6	.36	10



**36991** 13 Piece Inch Ball End Hex Long L-key Set  
Blade Chrome-V-Moly, hardened, black finish.

[SHOP](#)

Item No.	lbs.
36991	1.0

13 pc. set includes:  
.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



**36993** 8 Piece Inch Ball End Hex Long L-key Set  
Blade Chrome-V-Moly, hardened, black finish.

[SHOP](#)

Item No.	lbs.
36993	.62

8 pc. set includes:  
5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"



**Mid-Length Ball End Hex Keys Black Finish**

**Ball End Hex Keys**  
Chamfered ends for easy insertion

**Ball End Hex L-keys**  
Working angle up to 25°




For angle entry



**SHOP**

**369 Ball End Hex Inch Mid-Length L-keys**  
Blade Chrome-V-Moly, hardened, black finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.	10 Pack Item No.	pkg.
36901	.050	2.82	.45	.002	1	46701	10
36902	1/16	3.05	.53	.004	1	46703	10
36903	5/64	3.27	.63	.007	1	46705	10
36905	3/32	3.43	.68	.010	1	46707	10
36906	7/64	3.62	.76	.016	1	46709	10
36907	1/8	3.84	.76	.021	1	46711	10
36909	9/64	4.08	.87	.029	1	46713	10
36910	5/32	4.36	.96	.035	1	46717	10
36923	3/16	4.67	1.08	.059	1	46719	10
36925	7/32	5.05	1.18	.092	1	46721	10
36926	1/4	5.73	1.25	.13	1	46723	10
36927	5/16	6.75	1.36	.22	1	46727	10
36929	3/8	7.0	1.50	.36	1	46731	10



**SHOP**

**36937 13 Piece Inch Mid-Length Ball End Hex L-key Set**  
Blade Chrome-V-Moly, hardened, black finish.

Item No.	lbs.
36937	.82

13 pc. set includes:  
.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



**SHOP**

**369 Ball End Hex Metric Mid-Length L-keys**  
Blade Chrome-V-Moly, hardened, black finish.

Item No.	mm	mm	mm	lbs.	pkg.	10 Pack Item No.	pkg.
36930	1.5	79	13	.010	1	46732	10
36931	2.0	84	15	.016	1	46733	10
36932	2.5	90	17	.029	1	46734	10
36933	3.0	100	19	.035	1	46735	10
36934	4.0	113	24	.059	1	46736	10
36935	5.0	123	26	.092	1	46737	10
36938	6.0	144	31	.13	1	46738	10
36939	8.0	159	35	.22	1	46739	10
36966	10.0	181	37	.36	1	46741	10



**SHOP**

**36999 9 Piece Metric Mid-Length Ball End Hex L-key Set**  
Blade Chrome-V-Moly, hardened, black finish.

Item No.	lbs.
36999	.72

Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm





**SHOP**

**36900 2 Pack Inch & Metric Mid-Length Ball End Hex L-key Sets**  
Chrome-V-Moly, hardened, black finish.

Item No.	lbs.
36900	1.54

Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm  
.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

**Ball End Hex Keys Black Finish Short Arm**

For angle entry

**SHOP**

**36989 9 Pc. Short Arm Metric Ball End Hex L-key Set, In Plastic Holder**  
Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs.	pkg.
.59	1

**Wiha MagicRing Screw Holding T-handle**

**Hole for hanging**

**Proportioned ergonomic handle designed for high torque**

**Handle** is molded directly onto blade

**Blade** Wiha exclusive Chrome-V-Moly super tool steel, hardened, hard chrome finish

**Screw Holding Hex Tools**

**Smooth edges** prevent injuries & eliminate pressure marks

**SHOP**

**540 MagicRing Hex Metric Ball End, With Wiha T-handle**

Blade Chrome-V-Moly, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
54040	4.0	150	80	176	6.9	.08	10
54050	5.0	150	100	182	7.1	.14	10
54060	6.0	150	100	182	7.1	.17	10
54080	8.0	200	100	232	9.1	.29	10
54086	10.0	200	120	238	9.3	.49	10

**SHOP**

**540 MagicRing Hex Inch Ball End, With Wiha T-handle**

Blade Chrome-V-Moly, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item No.	Inch	Inch	Inch	Inch	lbs.	pkg.
54012	5/32	5.8	2.8	6.9	.08	10
54014	3/16	5.8	4.0	7.2	.14	10
54016	7/32	5.8	4.0	7.2	.16	10
54018	1/4	5.8	4.0	7.2	.19	10
54022	5/16	7.8	4.0	7.2	.29	10
54024	3/8	7.8	4.7	7.5	.45	10

**54090 5 Piece MagicRing Ball End T-handle Set, Metric Sizes**

Blade Chrome-V-Moly, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

**SHOP**

Item No.	mm	mm	mm	mm	lbs.		
54090	54040	4.0	150	54080	8.0	200	1.49
	54050	5.0	150	54086	10.0	200	
	54060	6.0	150				

**54091 6 Piece MagicRing Ball End T-handle Set, Inch Sizes**

Blade Chrome-V-Moly, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

**SHOP**

Item No.	Inch	Inch	Inch	Inch	lbs.		
54091	54012	5/32	5.8	54018	1/4	5.8	1.59
	54014	3/16	5.8	54022	5/16	7.8	
	54016	7/32	5.8	54024	3/8	7.8	

**Wiha Soft Grip Dual Drive T-handle**



**Two Tools In One!**


Through the handle side torque drive

**Ball & Standard Hex In One Powerful Tool**

Two component soft grip handle

Wiha exclusive Chrome-V-Moly super tool steel, through hardened durability, hard chrome finish

**Maximum Comfort & Maximum Power**



Hard Chrome Finish

For angle entry

- Chrome-V-Moly, hardened, hard chrome finish
- Ball tip for speed & easy insertion
- Wiha soft grip are molded on and include through the handle side torque drive.

**SHOP**

**540 Soft Grip Ball End Hex Metric Dual Drive T-handle**

Item No.	mm	mm	Tip	lbs.	pkg.
54020	2.0	150	Ball	.06	10
54025	2.5	150	Ball	.06	10
54030	3.0	150	Ball	.07	10
54042	4.0	150	Ball	.09	10
54052	5.0	150	Ball	.18	10
54062	6.0	150	Ball	.21	10
54082	8.0	200	Ball	.35	10
54088	10.0	200	Ball	.55	10


**54095 8 Pc. Ball End Hex Metric Soft Grip T-handle Set- No stand**

Item No.	mm	mm	mm	mm	lbs.		
54095	54020	2.0	150	54052	5.0	150	1.90
	54025	2.5	150	54062	6.0	150	
	54030	3.0	150	54082	8.0	200	
	54042	4.0	150	54088	10.0	200	

**SHOP**

**54092 8 Piece Ball End Hex Metric Soft Grip T-handle Set**


Blade Chrome-V-Moly, hardened, chrome finish. Wiha soft grips are molded on with through the handle side torque drive.



In metal stand

Item No.	mm	mm	lbs.	
54092	54020	2.0	150	3.34
	54025	2.5	150	
	54030	3.0	150	
	54042	4.0	150	
	54052	5.0	150	
	54062	6.0	150	
	54082	8.0	200	
	54088	10.0	200	

**SHOP**



Hard Chrome Finish

For angle entry

**SHOP**

**540 Soft Grip Ball End Hex Inch Dual Drive T-handle Chrome-V-Moly, hardened, hard chrome finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.**

Item No.	Inch	Inch	Tip	lbs.	pkg.
54007	3/32	5.9	Ball	.06	10
54008	7/64	5.9	Ball	.07	10
54009	1/8	5.9	Ball	.08	10
54010	9/64	5.9	Ball	.08	10
54001	5/32	5.9	Ball	.09	10
54002	3/16	5.9	Ball	.17	10
54003	7/32	5.9	Ball	.20	10
54004	1/4	5.9	Ball	.23	10
54005	5/16	7.9	Ball	.35	10
54006	3/8	7.9	Ball	.51	10

**54097 10 Pc. Ball End Hex Inch Soft Grip T-handle Set- No stand**

Item No.	Inch	Inch	Inch	Inch	lbs.		
54097	54007	3/32	5.9	54002	3/16	5.9	2.15
	54008	7/64	5.9	54003	7/32	5.9	
	54009	1/8	5.9	54004	1/4	5.9	
	54010	9/64	5.9	54005	5/16	7.9	
	54001	5/32	5.9	54006	3/8	7.9	

**SHOP**



In metal stand

#54094

**SHOP**

**54094 8 Piece Ball End Hex Inch Soft Grip T-handle Set**

Blade Chrome-V-Moly, hardened, chrome finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	Inch	Inch	lbs.		
54094	54009	1/8	5.9	54003	7/32	5.9	3.37
	54010	9/64	5.9	54004	1/4	5.9	
	54001	5/32	5.9	54005	5/16	5.9	
	54002	3/16	5.9	54006	3/8	7.9	



**Soft Grip Dual Drive T-handle - Black Finish**



Black Finish

[SHOP](#)

**334** Soft Grip Ball End Hex **Metric** Dual Drive T-handle Chrome-V-Moly, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grip are molded on with through the handle side torque drive.

Item No.	mm	mm	lbs.	pkg.
33442*	2.0	150	.06	10
33444*	2.5	150	.06	10
33446*	3.0	150	.07	10
33448	4.0	150	.09	10
33450	5.0	150	.18	10
33452	6.0	150	.21	10
33454	8.0	200	.35	10
33458	10.0	200	.55	10

\*No Ball - Standard Hex



[SHOP](#)

**33496** 8 Pc. Ball End Hex **Metric** Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, black finish. Wiha soft grip are molded on with through the handle side torque drive.

Item No.	mm	mm	mm	mm	lbs.	
33496	33442*	2.0	150	33450	5.0 150	2.04
	33444*	2.5	150	33452	6.0 150	
	33446*	3.0	150	33454	8.0 200	
	33448	4.0	150	33458	10.0 200	

\*No Ball - Standard Hex

**33489** 8 Piece Hex & Ball End Hex **Metric** Soft Grip T-handle Set


Blade Chrome-V-Moly, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	mm	mm	lbs.
33489	33442*	2.0 150	3.33
	33444*	2.5 150	
	33446*	3.0 150	
	33448	4.0 150	
	33450	5.0 150	
	33452	6.0 150	
	33454	8.0 200	
	33458	10.0 200	

In metal stand

\*No Ball - Standard Hex

[SHOP](#)



Black Finish

[SHOP](#)

**334** Soft Grip Ball End Hex Inch Dual Drive T-handle Chrome-V-Moly, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	lbs.	pkg.
33418*	5/64	5.9	.06	10
33420*	3/32	5.9	.06	10
33422*	7/64	5.9	.07	10
33424*	1/8	5.9	.08	10
33426*	9/64	5.9	.08	10
33428	5/32	5.9	.09	10
33430	3/16	5.9	.17	10
33432	7/32	5.9	.20	10
33433	1/4	5.9	.23	10
33439	5/16	7.9	.35	10
33440	3/8	7.9	.51	10

\*No Ball - Standard Hex

**33494** 11 Pc. Ball End Hex Inch Soft Grip Dual Drive T-handle Set

Item No.	Inch	Inch	Inch	Inch	lbs.	
33494	33418*	5/64	5.9	33430	3/16 5.9	2.39
	33420*	3/32	5.9	33432	7/32 5.9	
	33422*	7/64	5.9	33433	1/4 5.9	
	33424*	1/8	5.9	33439	5/16 7.9	
	33426*	9/64	5.9	33440	3/8 7.9	
	33428	5/32	5.9			

\*No Ball - Standard Hex

[SHOP](#)

**33498** 8 Piece Ball End Hex Inch Soft Grip T-handle Set

Item No.	Inch	Inch	Inch	Inch	lbs.	
33498	33424*	1/8	5.9	33432	7/32 5.9	2.15
	33426*	9/64	5.9	33433	1/4 5.9	
	33428	5/32	5.9	33439	5/16 7.9	
	33430	3/16	5.9	33440	3/8 7.9	

\*No Ball - Standard Hex

[SHOP](#)

**33499** 8 Piece Hex & Ball End Hex Inch Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	lbs.
33499	33424*	1/8 5.9	3.46
	33426*	9/64 5.9	
	33428	5/32 5.9	
	33430	3/16 5.9	
	33432	7/32 5.9	
	33433	1/4 5.9	
	33439	5/16 7.9	
	33440	3/8 7.9	

In metal stand

\*No Ball - Standard Hex

[SHOP](#)

**Wiha T-handle Hex Tools**

Ergonomic handle design for high torque

Hole for hanging

Handle is molded directly onto blade

Smooth edges prevent injuries & eliminate pressure marks

Blade Wiha exclusive Chrome-V-Moly super tool steel hardened, nickel-plated



Yellow = Inch  
Red = Metric

**334 Hex Inch & Metric Drivers, With Wiha T-handle** Chamfered tip for easy insertion. Wiha-T-handle high quality plastic, impact resistant.

Item No.	Hex	Inch	Inch	Inch	Inch	lbs.	pkg.
33453	3/32	6.0	2.8	7.0	.05	10	
33456	7/64	6.0	2.8	7.0	.05	10	
33459	1/8	6.0	2.8	7.0	.06	10	
33462	9/64	6.0	2.8	7.0	.07	10	
33465	5/32	6.0	2.8	7.0	.08	10	
33468	3/16	6.0	3.5	7.0	.13	10	
33471	7/32	6.0	3.5	7.0	.16	10	
33474	1/4	6.0	3.5	7.0	.18	10	
33477	5/16	6.0	3.5	7.0	.25	10	
33480	3/8	6.0	4.1	7.0	.39	10	

Item No.	Hex	mm	mm	mm	mm	Inch	lbs.	pkg.
33401	2.0	100	80	126	4.9	.05	10	
33436	2.0	200	80	226	8.9	.05	10	
33402	2.5	100	80	126	4.9	.05	10	
33437	2.5	200	80	226	8.9	.08	10	
33403	3.0	100	80	126	4.9	.05	10	
33404	3.0	150	80	176	6.9	.08	10	
33405	3.0	200	80	226	8.9	.09	10	
33435	3.0	350	100	382	15.0	.22	10	
33406	4.0	100	80	126	4.9	.07	10	
33407	4.0	150	80	176	6.9	.10	10	
33408	4.0	200	80	226	8.9	.09	10	
33438	4.0	350	100	382	15.0	.26	10	
33409	5.0	100	100	132	5.2	.13	10	
33410	5.0	150	100	182	7.1	.17	10	
33411	5.0	200	100	232	9.1	.16	10	
33412	5.0	350	100	382	15.0	.26	10	
33413	5.0	450	120	488	19.1	.53	10	
33414	6.0	100	100	132	5.2	.14	10	
33415	6.0	150	100	182	7.1	.18	10	
33416	6.0	200	100	232	9.1	.20	10	
33417	6.0	350	100	382	15.0	.32	10	
33419	7.0	200	100	232	9.1	.22	10	
33421	8.0	100	100	132	5.2	.20	10	
33423	8.0	200	100	232	9.1	.29	10	
33434	8.0	350	100	372	14.6	.48	10	
33425	10.0	100	120	138	5.4	.34	10	
33427	10.0	200	120	238	9.3	.49	10	
33429	12.0	200	120	238	9.3	.58	10	



**SHOP**

**33492 10 Piece Hex Driver T-handle Set, Inch Sizes**

Item No.	Hex	Inch	Inch	Hex	Inch	Inch	lbs.
33492	33453	3/32	6.0	33468	3/16	6.0	1.74
	33456	7/64	6.0	33471	7/32	6.0	
	33459	1/8	6.0	33474	1/4	6.0	
	33462	9/64	6.0	33477	5/16	6.0	
	33465	5/32	6.0	33480	3/8	6.0	



**SHOP**

**33493 8 Piece Hex Driver T-handle Set, Metric Sizes**

Item No.	Hex	mm	mm	Hex	mm	mm	lbs.
33493	33401	2.0	100	33409	5.0	100	1.64
	33402	2.5	100	33416	6.0	200	
	33403	3.0	100	33423	8.0	200	
	33406	4.0	100	33427	10.0	200	



#33484

#33488

**SHOP**

**33484 8 Pc. Hex Driver T-handle Set, Inch Sizes - In metal stand**

Item No.	Hex	Inch	Inch	Hex	Inch	Inch	lbs.
33484	33459	1/8	6.0	33471	7/32	6.0	3.07
	33462	9/64	6.0	33474	1/4	6.0	
	33465	5/32	6.0	33477	5/16	6.0	
	33468	3/16	6.0	33480	3/8	6.0	

**33488 8 Pc. Hex Driver T-handle Set, Metric Sizes - In metal stand**

Item No.	Hex	mm	mm	Hex	mm	mm	lbs.
33488	33401	2.0	100	33410	5.0	150	3.07
	33402	2.5	100	33415	6.0	150	
	33403	3.0	100	33423	8.0	200	
	33406	4.0	100	33427	10.0	200	

**SHOP**

**Wiha MagicRing SoftFinish® Hex Drivers**

**Screw Holding Hex Tools**




**367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish® Handle**

Hex blade, Chrome-V-Moly, hardened, hard chromed.  
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Inch	Inch	mm	mm	lbs.	pkg.
36710*	Hex	.050	3.1	80	179	.06	10
36713*	Hex	1/16	3.1	80	204	.06	10
36716*	Hex	5/64	3.9	100	204	.07	10
36719*	Hex	3/32	3.9	100	204	.07	10
36723*	Hex	7/64	3.9	100	211	.07	10
<b>With MagicRing</b>							
36726	Hex	1/8	3.9	100	243	.12	10
36728	Hex	9/64	3.9	100	243	.12	10
36732	Hex	5/32	5.0	125	271	.12	10
36734	Hex	3/16	6.0	150	271	.16	10
36736	Hex	7/32	6.0	150	271	.23	10
36738	Hex	1/4	6.0	150	271	.25	10
36742	Hex	5/16	8.0	200	271	.37	10
36744	Hex	3/8	8.0	200	271	.54	10

\* Standard Ball - No Ring



**36793 8 Piece MagicRing Inch Ball End Screwdriver Set**

Hex blade Chrome-V-Moly, hardened, hard chromed.  
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Inch	Inch	Hex	Inch	Inch	lbs.
36793	36726	1/8	4.0	36736	7/32	6.0	2.25
	36728	9/64	4.0	36738	1/4	6.0	
	36732	5/32	5.0	36742	5/16	8.0	
	36734	3/16	6.0	36744	3/8	8.0	

**Don't Drop That Screw!**  
**Save Valuable Time!**  
**Improve Productivity!**  
**Make The Job Easy!**




**36791 13 Piece MagicRing Inch Ball End Screwdriver Set**

Hex blade Chrome-V-Moly, hardened, hard chromed.  
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Inch	Inch	Hex	Inch	Inch	lbs.
36791	36710*	.050	3.0	36732	5/32	5.0	2.58
	36713*	1/16	3.0	36734	3/16	6.0	
	36716*	5/64	4.0	36736	7/32	6.0	
	36719*	3/32	4.0	36738	1/4	6.0	
	36723*	7/64	4.0	36742	5/16	8.0	
	36726	1/8	4.0	36744	3/8	8.0	
	36728	9/64	4.0				

\* Standard Ball - No Ring



**36794 6 Piece MagicRing Inch Ball End Screwdriver Set**

Hex blade Chrome-V-Moly, hardened, hard chromed.  
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Inch	Inch	Hex	Inch	Inch	lbs.
36794	36726	1/8	4.0	36734	3/16	6.0	1.34
	36728	9/64	4.0	36736	7/32	6.0	
	36732	5/32	5.0	36738	1/4	6.0	



**Wiha MagicRing SoftFinish® Hex Drivers**

**Screw Holding Hex Tools**



**Don't Drop That Screw!**  
**Save Valuable Time!**  
**Improve Productivity!**  
**Make The Job Easy!**



Hard Chrome Finish [SHOP](#)

[SHOP](#)

**367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish®**

**Handle** Hex blade, Chrome-V-Moly, hardened, hard chromed.  
 Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	lbs.	pkg.
36715*	1.5	75	179	.06	10
36720*	2.0	100	204	.07	10
36725*	2.5	100	204	.07	10
<b>With MagicRing</b>					
36730	3.0	100	204	.07	10
36740	4.0	125	211	.12	10
36750	5.0	150	243	.16	10
36760	6.0	150	243	.23	10
36780	8.0	200	268	.37	10
36786	10.0	200	271	.54	10

\* Standard Ball - No Ring

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive Chrome-V-Moly hardened tool steel

**36790 9 Piece MagicRing Metric Ball End Hex Screwdriver Set**

Hex blade Chrome-V-Moly, hardened, hard chromed.  
 Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.		
36790	36715*	1.5	75	36750	5.0	150	2.06
	36720*	2.0	100	36760	6.0	150	
	36725*	2.5	100	36780	8.0	200	
	36730	3.0	100	36786	10.0	200	
	36740	4.0	125				

\* Standard Ball - No Ring



**36792 6 Piece MagicRing Metric Ball End Hex Screwdriver Set**

Hex blade Chrome-V-Moly, hardened, hard chromed.  
 Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.		
36792	36730	3.0	100	36760	6.0	150	1.86
	36740	4.0	125	36780	8.0	200	
	36750	5.0	150	36786	10.0	200	

**Wiha Ball End 3K Series Drivers & Sets**



Inch / Soft Grip




**467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles**

Blades Chrome-V-Moly, hardened, black finish. Ergo soft grip handles.

Item No.	Inch	Inch	Inch	lbs.	pkg.
46702	.050	2.9	6.3	.07	10
46704	1/16	2.9	6.3	.07	10
46706	5/64	3.9	7.3	.07	10
46708	3/32	3.9	7.3	.07	10
46710	7/64	3.9	7.3	.07	10
46712	1/8	3.9	7.7	.09	10
46714	9/64	3.9	7.7	.10	10
46716	5/32	3.9	7.7	.11	10
46718	3/16	3.9	7.7	.12	10
46722	7/32	5.9	10.0	.19	10
46724	1/4	5.9	10.0	.22	10
46726	5/16	7.9	12.0	.34	10
46728	3/8	7.9	12.5	.48	10

Yellow = Inch  
Red = Metric



- Soft panel grip
- Fast angle entry
- Convenient hang hole
- Exact fit precision machined tips
- Wiha exclusive Chrome-V-Moly super tool steel




Metric / Soft Grip



**467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle**


Blades Chrome-V-Moly, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item No.	mm	mm	mm	lbs.	pkg.
46715	1.5	75	161	.07	10
46720	2.0	100	186	.07	10
46725	2.5	100	186	.07	10
46730	3.0	100	186	.07	10
46740	4.0	100	197	.11	10
46750	5.0	100	197	.13	10
46760	6.0	150	257	.21	10
46780	8.0	200	307	.34	10
46786	10.0	200	319	.52	10




**46794 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set**

Item No.	Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	lbs. .97
46794		



**46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set**


Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	lbs. 1.19
46793		



**46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set**

Blades Chrome-V-Moly, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	lbs. 2.40
46797		



**46796 7 Piece Metric Ball End Hex Screwdriver Set**

Blades Chrome-V-Moly, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	lbs. 1.15
46796		



**46799 9 Piece Metric Ball End Hex Screwdriver Set**

Blades Chrome-V-Moly, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	lbs. 1.93
46799		

**Wiha PocketStar Fold-Ups**




**Screw Holding**




Push button key release

**SHOP**

**36997 9 Piece MagicRing Inch PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.

<b>Item No. 36997</b>	
<b>Inch PocketStar:</b> 5/64*, 3/32*, 7/64*	lbs.
1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.46

\* Standard Ball - No Ring




**Screw Holding**




Push button key release

**SHOP**

**36996 7 Piece MagicRing Metric PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.

<b>Item No. 36996</b>	
<b>PocketStar</b>	lbs.
<b>Metric:</b> 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm	.50

\* Standard Ball - No Ring




**Screw Holding**




Push button key release

**SHOP**

**66997 2 Pack MagicRing PocketStar Fold Outs Inch & Metric**  
High alloy CVM steel, hardened, molded ergonomic handle.


<b>Item No. 66997</b>	
<b>Fold Outs Inch/Metric Includes:</b>	lbs. .98
36996 - 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm	
36997 - 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	

\* Standard Ball - No Ring





**SHOP**

**35195 7 Piece Metric Hex PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.

<b>Item No. 35195</b>	
<b>PocketStar</b>	lbs.
<b>Metric:</b> 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	.51

**35196 7 Piece Metric Hex PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.


<b>Item No. 35196</b>	
<b>PocketStar</b>	lbs.
<b>Metric:</b> 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	.31






Push button key release

**SHOP**

**35197 9 Piece Inch Hex PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.


<b>Item No. 35197</b>	
<b>Inch PocketStar:</b>	lbs.
5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.47

Push button key release

**SHOP**

**35198 6 Pc. Slotted, Phillips & Hex Metric PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.

<b>Item No. 35198</b>	
<b>PocketStar</b>	lbs.
<b>Slotted:</b> 5.5mm <b>Phillips:</b> #2	
<b>Metric:</b> 3.0, 4.0, 5.0, 6.0mm	.35



**Nickel-Plated Long Arm Hex L-keys**



Nickel-Plated

• Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.


352 Inch								Inch & Metric Hex L-keys, Long Arm								<a href="#">SHOP</a>	
Item No.	Inch	mm	Inch	lbs.	pkg.	Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.				
35231	.050	75	3.0	.01	10	35201	1.5	89	3.5	14	.6	.01	10				
35233	1/16	78	3.1	.01	10	35202	2.0	99	3.9	16	.6	.01	10				
35235	5/64	82	3.2	.01	10	35204	2.5	110	4.3	18	.7	.02	10				
35237	3/32	85	3.3	.01	10	35206	3.0	124	4.9	20	.8	.02	10				
35239	7/64	92	3.6	.01	10	35208	4.0	138	5.4	25	1.0	.04	10				
35241	1/8	95	3.7	.02	10	35210	5.0	158	6.2	28	1.1	.07	10				
35243	9/64	100	3.9	.03	10	35211	6.0	178	7.0	32	1.3	.12	10				
35251	5/32	105	4.1	.03	10	35212	7.0	187	7.4	34	1.3	.17	10				
35252	3/16	113	4.4	.05	10	35214	8.0	196	7.7	36	1.4	.23	10				
35253	7/32	122	4.8	.07	10	35217	10.0	219	8.6	40	1.6	.40	10				
35254	1/4	135	5.3	.10	10	35219	12.0	245	9.6	45	1.8	.77	1				
35255	5/16	152	6.0	.18	10	35221	14.0	277	10.9	56	2.2	1.12	1				
35256	3/8	173	6.8	.30	10	35223	17.0	316	12.4	63	2.5	1.80	1				
35257	1/2	209	8.2	.77	1	35227	19.0	355	14.0	70	2.8	2.46	1				
35258	9/16	230	9.1	1.04	1												
35259	5/8	245	9.6	1.27	1												
35261	3/4	286	11.3	2.01	1												



**35295 13 Piece Inch Hex L-key Set, In Plastic Holder**

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Item No.	lbs.	pkg.
35295	.90	1



**35297 9 Piece Metric Hex L-key Set, In Plastic Holder**

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Item No.	lbs.	pkg.
35297	1.00	1

**Black Finish Long Arm Hex L-keys**



Black Finish

High alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

352 Inch								L-key Hex, Long Arm								<a href="#">SHOP</a>	
Item No.	Inch	mm	Inch	lbs.	pkg.	Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.				
35200	.028	67	2.6	.01	10	35200	0.7	66	2.6	5	.2	.01	10				
35203	.035	69	2.7	.01	10	35203	0.9	68	2.7	8	.3	.01	10				
35213	.050	75	3.0	.01	10	35205	1.3	72	2.8	12	.5	.01	10				
35216	1/16	78	3.1	.01	10	35215	1.5	76	3.5	14	.6	.01	10				
35218	5/64	82	3.2	.01	10	35220	2.0	99	3.9	16	.6	.01	10				
35222	3/32	85	3.3	.01	10	35225	2.5	110	4.3	18	.7	.02	10				
35224	7/64	92	3.6	.02	10	35230	3.0	124	4.9	20	.8	.02	10				
35226	1/8	95	3.7	.02	10	35240	4.0	138	5.4	25	1.0	.04	10				
35228	9/64	100	3.9	.03	10	35250	5.0	158	6.2	28	1.1	.07	10				
35232	5/32	105	4.1	.04	10	35260	6.0	178	7.0	32	1.3	.12	10				
35234	3/16	113	4.4	.05	10	35270	7.0	187	7.4	34	1.3	.18	10				
35236	7/32	122	4.8	.07	10	35280	8.0	196	7.7	36	1.4	.24	10				
35238	1/4	135	5.3	.10	10	35282	10.0	219	8.6	40	1.6	.40	10				
35242	5/16	152	6.0	.18	10	35284	12.0	245	9.6	45	1.8	.77	1				
35244	3/8	173	6.8	.30	10	35285	14.0	277	10.9	56	2.2	1.13	1				
35245	1/2	209	8.2	.75	1	35286	17.0	316	12.4	63	2.5	1.80	1				
35246	9/16	230	9.1	.99	1	35288	19.0	355	14.0	70	2.8	2.45	1				
35247	5/8	245	9.6	1.26	1												
35248	3/4	286	11.3	2.02	1												
35249	1"	359	14.1	4.38	1												



#35291


Black Finish

#35290

35291								13 Piece Inch Hex L-key Set, In Plastic Holder							
Item No.	lbs.	pkg.						Item No.	lbs.	pkg.					
35291	.98	1						35291	.98	1					

35290								9 Piece Metric Hex L-key Set, In Plastic Holder							
Item No.	lbs.	pkg.						Item No.	lbs.	pkg.					
35290	.97	1						35290	.97	1					


### Short Arm Hex L-keys Nickel Finish



• Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

**351 Metric L-key Hex Metric, Short Arm** high alloy CVM steel, hardened, nickel plated. Precision machined, burr free chamfered ends.

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
35104	1.5	45	1.8	14	.6	.01	10
35108	2.0	49	1.9	16	.6	.01	10
35112	2.5	55	2.2	18	.7	.01	10
35116	3.0	61	2.4	20	.8	.02	10
35120	4.0	68	2.7	25	1.0	.03	10
35124	5.0	78	3.1	28	1.1	.04	10
35128	6.0	88	3.5	32	1.3	.07	10
35132	7.0	92	3.6	34	1.3	.10	10
35136	8.0	97	3.8	36	1.4	.13	10
35140	9.0	103	4.1	38	1.5	.18	10
35144	10.0	109	4.3	40	1.6	.23	10
35145	12.0	122	4.8	45	1.8	.40	1
35175	14.0	137	5.4	56	2.2	.61	1
35177	17.0	156	6.1	63	2.5	1.02	1
35179	19.0	176	6.9	70	2.8	1.40	1



• Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

**351 Inch L-key Hex, Short Arm** Nickel-plated

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
35143	.050	40	1.6	10	.39	.01	10
35146	1/16	46	1.8	14	.55	.01	10
35147	5/64	50	2.0	16	.63	.01	10
35150	3/32	52	2.1	19	.75	.01	10
35152	7/64	54	2.1	19	.75	.01	10
35153	1/8	58	2.3	21	.83	.02	10
35155	9/64	62	2.4	23	.91	.02	10
35156	5/32	68	2.7	25	.99	.02	10
35159	3/16	70	2.8	26	1.0	.04	10
35162	7/32	77	3.1	29	1.2	.05	10
35165	1/4	88	3.5	31	1.2	.08	10
35168	5/16	98	3.9	36	1.4	.13	10
35171	3/8	107	4.2	38	1.5	.20	10
35174	1/2	133	5.2	44	1.7	.46	1
35176	9/16	158	6.2	64	2.5	.64	1
35178	5/8	175	6.9	71	2.8	.85	1
35180	3/4	198	7.8	89	3.5	1.40	1



**35191 9 Piece Metric Hex L-key Set, In Plastic Holder**

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

↔ lbs. .59    ↔ pkg. 1



**35193 6 Piece Metric Hex L-key Set, In Plastic Holder**

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm

↔ lbs. .20    ↔ pkg. 1



**35192 8 Piece Inch Hex L-key Set, In Plastic Holder**

Equipped with 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"

↔ lbs. .41    ↔ pkg. 1



**35194 13 Piece Inch Hex L-key Set, In Plastic Holder**

Equipped with .050 - 3/8"

↔ lbs. .72    ↔ pkg. 1

**Short Arm Hex L-keys Black Finish**



Black Finish

[SHOP](#)

**353 Metric L-key Hex Metric, Short Arm** high alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
35301	0.7	31	1.2	-	-	.01	10
35302	0.9	31	1.2	-	-	.01	10
35303	1.3	40	1.6	12	.5	.01	10
35304	1.5	45	1.8	14	.6	.01	10
35305	2.0	49	1.9	16	.6	.01	10
35306	2.5	55	2.2	18	.7	.01	10
35307	3.0	61	2.4	20	.8	.02	10
35308	4.0	68	2.7	25	1.0	.03	10
35309	5.0	78	3.1	28	1.1	.04	10
35310	6.0	88	3.5	32	1.3	.07	10
35311	7.0	92	3.6	34	1.3	.10	10
35312	8.0	97	3.8	36	1.4	.13	10
35313	9.0	103	4.1	38	1.5	.17	10
35314	10.0	109	4.3	40	1.6	.23	10
35316	11.0	115	4.5	42	1.7	.29	10
35317	12.0	122	4.8	45	1.8	.40	1
35318	14.0	137	5.4	56	2.2	.61	1
35319	17.0	156	6.1	63	2.5	1.03	1
35320	19.0	176	6.9	70	2.8	1.40	1
35321	22.0	195	7.7	80	3.1	2.17	1



Black Finish

[SHOP](#)

**353 Inch L-key Hex Inch, Short Arm** black finish

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
35301	.028	31	1.2	-	-	.01	10
35302	.035	31	1.2	-	-	.01	10
35330	.050	40	1.6	10	.4	.01	10
35331	1/16	46	1.8	14	.6	.01	10
35332	5/64	50	2.0	16	.6	.01	10
35333	3/32	52	2.1	19	.8	.01	10
35334	7/64	54	2.1	19	.8	.01	10
35335	1/8	58	2.3	21	.8	.02	10
35336	9/64	62	2.4	23	.9	.02	10
35337	5/32	68	2.7	25	1.0	.02	10
35338	3/16	70	2.8	26	1.0	.05	10
35339	7/32	77	3.1	29	1.2	.07	10
35340	1/4	88	3.5	31	1.2	.07	10
35341	5/16	98	3.9	36	1.4	.13	10
35342	3/8	107	4.2	38	1.5	.20	10
35343	1/2	133	5.2	44	1.7	.49	1
35345	9/16	158	6.2	64	2.5	.66	1
35346	5/8	175	6.9	71	2.8	.86	1
35347	3/4	198	7.8	89	3.5	1.45	1
35348	1"	220	8.7	91	3.6	3.14	1




[SHOP](#)

**35390 9 Piece Metric Hex L-key Set, In Plastic Holder**

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. .59 pkg. 1



[SHOP](#)

**35392 5 Piece Mini Metric Hex L-key Set, In Plastic Holder**

Equipped with 0.7, 0.9, 1.3, 1.5, 2.0mm

lbs. .03 pkg. 1




[SHOP](#)

**35391 13 Piece Inch Hex L-key Set, In Plastic Holder**

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

lbs. .64 pkg. 1



[SHOP](#)

**35393 5 Piece Mini Inch Hex L-key Set, In Plastic Holder**

Equipped with .028, .035, .050, 1/16, 5/64"

lbs. .03 pkg. 1



**Wiha Insulated T-handles**

**Insulation Test Standards:**

Insulation according to EN/IEC 60900, ASTM F-1505-01, VDE 0682/part 201, DIN 7437, NFPA70E, CSA

Responds to OSHA's use specification 29 CFR1910

**Insulation**

Molded directly onto blade for permanent bonding

Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc

Blade CVM tool steel, hardened to average 58/60RC

**1000V**



**1000Volt**

**SHOP**

**334** Inch T-handle, With Wiha-Molded Handle Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201, EN/IEC 60900, NFPA70E and CSA, **1000 Volt. Individually Tested.**

Blade CVM steel, hardened. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component.

Item	Hex	Inch	Inch	Inch	mm	lbs.	pkg.
33481	5/32	5.9	6.9	176	.09	10	
33482	3/16	5.9	6.9	176	.15	10	
33483	7/32	5.9	6.9	176	.19	10	
33485	1/4	6.9	6.9	176	.20	10	
33486	5/16	6.9	6.9	176	.26	10	
33487	3/8	6.9	6.9	176	.44	10	



**1000Volt**

**SHOP**

**33490** 6 Piece Hex Inch T-handle Set

Item	Hex	Inch	lbs.
33490	5/32, 3/16, 7/32, 1/4, 5/16, 3/8"		1.66



**1000Volt**

**SHOP**

**334** Metric T-handle, With Wiha-Molded Handle. Insulation According to ASTM, VDE, EN/IEC, NFPA70E and CSA, **1000 Volt. Individually Tested.**

Item	Hex	mm	Inch	mm	Inch	lbs.	pkg.
33441	4.0	150	5.9	176	6.9	.09	10
33443	5.0	150	5.9	176	6.9	.15	10
33445	6.0	150	5.9	176	6.9	.18	10
33447	8.0	150	5.9	176	6.9	.26	10
33449	10.0	150	5.9	176	6.9	.46	10



**1000Volt**

**SHOP**

**33478** 5 Piece Hex Metric T-handle Set

Item	Hex Metric	lbs.
33478	4.0, 5.0, 6.0, 8.0, 10.0mm	1.20

**Wiha Insulated Hex Metric Screwdrivers**



**1000Volt**

**SHOP**

**323** Hex Metric Screwdriver, With Wiha-SoftFinish® Handle Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, **1000 Volt. Individually Tested.** Blade high alloy CVM steel, hardened, black finish. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	Hex	mm	Inch	mm	Inch	lbs.	pkg.
32302	2.5	75	3.0	179	7.0	.06	10
32303	3.0	75	3.0	179	7.0	.08	10
32304	4.0	75	3.0	186	7.3	.12	10
32305	5.0	75	3.0	186	7.3	.15	10
32306	6.0	100	3.9	218	8.6	.21	10
32308	8.0	100	3.9	218	8.6	.34	10



**1000Volt**

**SHOP**

**32366** 6 Piece Insulated Hex Metric Screwdriver Set

Item No.	Hex Metric	lbs.
32366	2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	1.06

**Wiha Insulated Hex L-keys**


**Insulation Test Standards:**  
Insulation according to ASTM,  
F-1505-01, EN/IEC 60900  
and CSA



**Insulation**  
Applied directly  
onto blade for  
permanent  
bonding

 **1000V**

Each tool individually  
tested to 10,000 volts  
and certified to 1000  
Volt ac or 1500 Volt dc



 **1000V**

[SHOP](#)

**136** Inch Insulated Hex L-keys, With Insulated Handle  
Insulation According to IEC 60900 specification, up to 1000 Volt.  
Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	ØMM	OAL	OAL	↔	⊞
No.	Inch	mm	Inch	lbs.	pkg.
13670	1/16	79	3.1	.05	1
13671	5/64	84	3.3	.05	1
13672	3/32	89	3.5	.05	1
13673	7/64	94	3.7	.06	1
13663	1/8	104	4.1	.06	1
13665	5/32	104	4.1	.06	1
13666	3/16	134	5.3	.10	1
13667	7/32	134	5.3	.12	1
13668	1/4	134	5.3	.16	1
13669	5/16	144	5.7	.24	1
13662	3/8	234	9.2	.51	1
13664	1/2	234	9.2	.77	1




 **1000V**

[SHOP](#)

**136** Metric Insulated Hex L-keys, With Insulated Handle  
Insulation According to IEC 60900 specification, up to 1000 Volt.  
Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	ØMM	OAL	OAL	↔	⊞
No.	mm	mm	Inch	lbs.	pkg.
13650	1.5	100	3.9	.09	1
13651	2.0	105	4.1	.09	1
13652	2.5	115	4.5	.09	1
13653	3.0	130	5.1	.10	1
13654	4.0	120	4.7	.10	1
13655	5.0	140	5.5	.10	1
13656	6.0	140	5.5	.13	1
13658	8.0	150	5.9	.24	1
13659	10.0	220	8.7	.51	1
13657	12.0	260	10.2	.77	1



#13691

#13690

 **1000V**

[SHOP](#)

**13690** 8 Piece Insulated Hex L-key Set - Inch

Item No.	↔	⊞
13690	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2"	lbs. 2.17

**13691** 7 Piece Insulated Hex L-key Set - Metric

Item No.	↔	⊞
13691	3.0, 4.0, 5.0, 6.0, 8.0, 10.0, 12.0mm	lbs. 2.07



 **1000V**

[SHOP](#)

**13693** 10 Piece Insulated Hex L-key Set - Metric

Item No.	↔	⊞
13693	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0, 12.0mm	lbs. 2.26

**13694** 12 Piece Insulated Hex L-key Set - Inch

Item No.	↔	⊞
13694	1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2"	lbs. 2.40

**Wiha Insulated 3/8" Bit Sockets & Set**



 **1000V**

[SHOP](#)

**318** Insulated 3/8" Drive Sockets - Insulation according to  
EN/IEC 60900, DIN 7448 specification, up to 1000 Volt.

Individually Tested. Chrome-vanadium steel, forged, oil-hardened.

Item No.	↔	⊞		
No.	Inch	OAL	lbs.	pkg.
31805	3/16	3.1"	.13	1
31807	7/32	3.1"	.14	1
31809	1/4	3.1"	.14	1
31811	5/16	3.1"	.16	1
31813	3/8	3.1"	.18	1
31815	7/16	3.1"	.20	1
31817	1/2	3.1"	.22	1

\*Sockets must be used with insulated ratchets & extensions



 **1000V**

[SHOP](#)

**31890** 7 Piece Insulated 3/8" Drive Socket Set - Inch

CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No.	↔	⊞
31890	Set includes the following:	
↔ lbs. 1.7	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2"	

### Wiha Drive-Loc VI Handles



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments



#### 28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

##### Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments



#### 28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

##### Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments



#### 28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.

##### Advantages:

Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



### Wiha Drive-Loc VI Blades



#### 281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Ball end enables the user to work at angles up to 25°. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm	mm	lbs.	pkg.
28116	2.5	2.5	.10	1
28117	3	3	.10	1
28118	4	4	.10	1
28119	5	5	.10	1
28120	6	6	.10	1



#### 281 Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm	mm	lbs.	pkg.
28149	2.0	2.5	.09	1
28150	3.0	4.0	.10	1
28151	5.0	6.0	.10	1



#### 281 Hex Inch Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Inch	Inch	lbs.	pkg.
28122	3/32	7/64	.10	1
28123	1/8	9/64	.10	1
28124	5/32	3/16	.10	1



#### 28189 15 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No.	28189		lbs.	1.28
<b>Slotted:</b> 3.5+4.5, 5.5+6.5 <b>Phillips:</b> 1+2 <b>Security TORX®:</b> T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s <b>Hex Inch:</b> 3/32+7/64, 1/8+9/64, 5/32+3/16 <b>Hex Metric:</b> 2.0+2.5, 3.0+4.0, 5.0+6.0mm				
Wiha SoftFinish® Cushion Grip Blade Lock Handle				



**TorqueControl Tools**



+/-6% accuracy tolerance  
Certificate of calibration



+/-6% accuracy tolerance  
Certificate of calibration



**285 TorqueFix, With Wiha-SoftFinish® Handle**

Fixed Torque value pre-set. Tested in accordance with EN ISO 6798, BS EN 26789, ASME B107.14M, tolerance +/- 6%. Audible and perceptible click when pre-set torque has been attained.

Automatically resets for next torque cycle; 50% greater reverse torque.

Item No.	Pre-Sets		Nm	mm	Inch	lbs.	pkg.
	oz.	lbs.					
28503	80	5	0.56	112	4.4	.16	1
28505	120	7.5	0.84	112	4.4	.15	1
28507	160	10	1.12	119	4.7	.28	1
28509	200	12.5	1.41	119	4.7	.27	1
28511	240	15	1.69	119	4.7	.27	1
28513	320	20	2.25	119	4.7	.28	1
28515	400	25	2.82	126	4.9	.37	1
28517	480	30	3.39	126	4.9	.37	1
28518	560	35	3.95	126	4.9	.37	1
28519	640	40	4.52	126	4.9	.37	1
28521	800	50	5.65	132	5.2	.52	1
28523	960	60	6.78	132	5.2	.52	1
28525	1120	70	7.91	132	5.2	.52	1

Direct Reading Scale



+/-6% accuracy tolerance  
Certificate of calibration



**285 Adjustable TorqueVario With Direct Reading Scale**

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Range		Increments	mm	lbs.	pkg.
	Inch	lbs.				
28501*	15 - 80(in/oz)	2.5 Inch oz		122 - 127	.22	1
28502	5 - 10	.5 Inch lbs		122 - 127	.41	1
28504	7.5 - 20	.5 Inch lbs		126 - 131	.50	1
28506	10 - 50	2 Inch lbs		133 - 138	.59	1
28508	20 - 70	2 Inch lbs		137 - 142	.74	1

Above includes Micro Bit Holder 28583

See 4mm Micro Bits on Page 30

\* +/- 10% (This unit only)

\* (1 Nm = 8.8507)

**285 Adjustable TorqueVario-S Handle - In Newton Meter Scale**

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Newton Meter Scale		Increments	mm	lbs.	pkg.
	Meter	Scale				
28550*	0.1 - 0.6Nm	.02 Nm		122 - 127	.35	1
28551	0.4 - 1.0Nm	.05 Nm		122 - 127	.35	1
28552	0.8 - 2.0Nm	.05 Nm		126 - 131	.45	1
28553	1.0 - 5.0Nm	.20 Nm		133 - 138	.55	1
28554	2.0 - 8.0Nm	.25 Nm		137 - 142	.70	1

\* +/- 10% (This unit only)

\* (1 Nm = 8.8507)



**285 Hex Metric Interchangeable Blades For TorqueFix & TorqueVario**

Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	mm	mm	lbs.	Max. Torque		pkg.
				Nm	lbs.	
28545	1.5	175	.07	0.9		1
28546	2.0	175	.07	1.8		1
28547	2.5	175	.07	3.8		1
28548	3.0	175	.07	8.0		1
28549	4.0	175	.07	8.0		1



**285 Hex Inch Interchangeable Blades For TorqueFix & TorqueVario**

Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Inch	mm	lbs.	Max. Torque		pkg.
				Nm	lbs.	
28555	.050	175	.07	.4		1
28556	1/16	175	.07	.9		1
28557	5/64	175	.07	1.8		1
28558	3/32	175	.07	1.8		1
28559	7/64	175	.07	3.8		1
28560	1/8	175	.07	3.8		1
28587	9/64	175	.07	8.0		1
28588	5/32	175	.07	8.0		1

**T-handle TorqueControl Tools**



Includes Calibration Certificate



**289 TorqueFix T-handle**

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy  
Ergonomic multi-component handle, light and compact.  
With Certificate of calibration.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
28931	53.1	6	56 x 120	.81	1
28933	70.8	8	56 x 120	.82	1
28935	88.5	10	56 x 120	.79	1
28937	106.2	12	56 x 120	.79	1
28938	110.6	12.5	56 x 120	.80	1
28939	123.9	14	56 x 120	.80	1

Each TorqueFix T-handle has unique serial number and certificate of calibration



**289 Hex Metric Interchangeable Blades For TorqueFix T-handle**

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	mm	mm	Inch	lbs.	pkg.
28916	3.0	130	5.1	.11	1
28917	4.0	130	5.1	.11	1
28918	5.0	130	5.1	.11	1
28919	6.0	130	5.1	.11	1



Includes Calibration Certificate



**28940 Adjustable TorqueVario STplus T-handle**

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy  
Ergonomic multi-component handle, light and compact.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
28940	44.3-123.9	5-14	56 x 120	.81	1



**289 Hex Inch Interchangeable Blades For TorqueFix T-handle**

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Inch	mm	Inch	lbs.	pkg.
28920	1/8	130	5.1	.11	1
28921	9/64	130	5.1	.11	1
28922	5/32	130	5.1	.11	1
28923	3/16	130	5.1	.11	1
28924	7/32	130	5.1	.11	1

\* (1 Nm 8.8507)



Adjustable from Nm 5-14 or In-lbs. 44.3-123.9



**Wiha Precision ESD Safe Hex Drivers**

Wiha Precision ESD Static Dissipative Screwdrivers meet the requirements for tools used in static sensitive areas.



**Rotating cap** for precise turning & control with fingertip

**Molded Precision handle** of impact resistant dissipative material

**Tapered handle** allows rapid rotation

**Blade, CVM steel, hardened, hard chrome finish**

**Tip, precision ground for exact fit, Wiha Chromtop finish**

ESD Standard IEC 61340-5-1

Surface resistance of handles is 10<sup>6</sup> - 10<sup>9</sup> Ohms



**275 Inch Hex Driver, With Precision ESD Safe Dissipative**

**Handle** Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item	Hex	Flat	Phillips	Torx	Star	Tri	Hex
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
27505	0.028	40	1.6	120	4.7	.02	10
27510	0.035	40	1.6	120	4.7	.02	10
27513	0.05	40	1.6	120	4.7	.02	10
27537	1/16	50	2.0	145	5.7	.03	10
27539	5/64	50	2.0	145	5.7	.03	10
27541	3/32	60	2.4	170	6.7	.04	10
27543	7/64	60	2.4	170	6.7	.04	10
27545	1/8	60	2.4	170	6.7	.04	10
27547	9/64	60	2.4	170	6.7	.05	10
27549	5/32	60	2.4	170	6.7	.05	10

\*Metric dimensions actual - Inch dimensions approximate



**275 Metric Hex Metric Driver, With Precision ESD Safe**

**Dissipative Handle** Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item	Hex	Flat	Phillips	Torx	Star	Tri	Hex
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
27507	0.7	40	1.6	120	4.7	.02	10
27509	0.9	40	1.6	120	4.7	.02	10
27513	1.3	40	1.6	120	4.7	.03	10
27515	1.5	50	2.0	145	5.7	.03	10
27520	2.0	50	2.0	145	5.7	.04	10
27525	2.5	60	2.4	170	6.7	.05	10
27530	3.0	60	2.4	170	6.7	.05	10
27535	4.0	60	2.4	170	6.7	.05	10

\*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

**27590 Set 8 Pcs. Hex Metric Precision ESD Safe Dissipative**

**Handle** Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item	Hex	Flat	Phillips	Torx	Star	Tri	Hex
No.	mm	mm	mm	mm	mm	lbs.	
27590	27507	.71	40	27520	2.0	50	.53
	27509	.89	40	27525	2.5	60	
	27513	1.3	40	27530	3.0	60	
	27515	1.5	50	27535	4.0	60	



ESD standard IEC 61340-5-1

**27591 8 Piece Hex Inch Precision Set, ESD Safe Dissipative**

**Handle** Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item	Hex	Flat	Phillips	Torx	Star	Tri	Hex
No.	Inch	Inch	Inch	Inch	Inch	lbs.	
27591	27513	0.05	1.6	27543	7/64	2.4	.57
	27537	1/16	2.0	27545	1/8	2.4	
	27539	5/64	2.0	27547	9/64	2.4	
	27541	3/32	2.4	27549	5/32	2.4	



**91118 Rugged Polyester Canvas Storage Pouch**

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1









**Pico Soft Grip Ball End Inch & Metric**



[SHOP](#)

**264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle** Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.






Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

\*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)






**26493 7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item							
No.	Inch	Inch	Inch	Inch	lbs.		
26493	26455	1/16	2.0	26463	1/8	2.4	.27
	26457	5/64	2.0	26465	9/64	2.4	
	26459	3/32	2.0	26467	5/32	2.4	
	26461	7/64	2.4				



[SHOP](#)

**264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle.** Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10







\*Metric dimensions actual - Inch dimensions approximate

**Pico Soft Grip Hex Inch & Metric**



[SHOP](#)

**263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle** Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	mm	Inch	mm	Inch	pkg.
26341	0.028(0.7)	40	1.6	134	5.3	10
26343	0.035(0.9)	40	1.6	134	5.3	10
26345	0.05(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10






\*Metric dimensions actual - Inch dimensions approximate



In storage pouch

[SHOP](#)






**26392 8 Piece Hex Inch Precision Driver Set**

Item							
No.	Inch	Inch	Inch	Inch	lbs.		
26392	26341	0.028	1.6	26363	1/16	2.0	.24
	26343	0.035	1.6	26367	3/32	2.4	
	26345	0.05	1.6	26369	7/64	2.4	
	26349	5/64	2.0	26371	1/8	2.4	



[SHOP](#)

**263 Hex Metric Driver, With Precision Soft PicoFinish Handle** Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26341	0.7(0.028)	40	1.6	134	5.3	10
26343	0.9(0.035)	40	1.6	134	5.3	10
26345	1.3(0.05)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10






\*Metric dimensions actual - Inch dimensions approximate



In storage pouch

[SHOP](#)

**26393 7 Pc. Hex Metric Precision Driver Set**

Item							
No.	mm	mm	mm	mm	lbs.		
26393	26341	0.7	40	26349	2.0	50	.22
	26343	0.9	40	26351	2.5	60	
	26345	1.3	40	26353	3.0	60	
	26347	1.5	50				

**Wiha Hex Precision Series**



**263 Metric Metric Hex Driver, With Precision Handle**  
Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item								
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26307	0.7	0.028	40	1.6	120	4.7	.02	10
26309	0.9	0.035	40	1.6	120	4.7	.02	10
26313	1.3	0.05	40	1.6	120	4.7	.02	10
26315	1.5	-	50	2.0	145	5.7	.03	10
26320	2.0	5/64	50	2.0	145	5.7	.03	10
26325	2.5	-	60	2.4	170	6.7	.04	10
26330	3.0	-	60	2.4	170	6.7	.04	10
26340	4.0	-	60	2.4	170	6.7	.05	10

\*Metric dimensions actual - Inch dimensions approximate



**26390 7 Pc. Precision Hex Driver Set - Metric**  
Blade high alloy chrome-vanadium-molybdenum steel.

Item				
No.	Inch	Inch	lbs.	
26390	26307	0.7	1.6	.28
	26309	0.9	1.6	
	26313	1.3	1.6	
	26315	1.5	2.0	
	26320	2.0	2.0	
	26325	2.5	2.4	
	26330	3.0	2.4	



**26399 8 Piece Precision Hex Driver Set - Inch**  
Blade high alloy chrome-vanadium-molybdenum steel.  
Hard chrome finished. In canvas storage pouch

Item							
No.	Inch	Inch	Inch	Inch	Inch	lbs.	
26399	26307	0.028	1.6	26320	5/64	2.0	.55
	26309	0.035	1.6	26323	3/32	2.4	
	26313	0.05	1.6	26327	7/64	2.4	
	26316	1/16	2.0	26331	1/8	2.4	



**263 Inch Inch Hex Driver, With Precision Handle**  
Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item								
No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
26307	.028	0.7	40	1.6	120	4.7	.02	10
26309	.035	0.9	40	1.6	120	4.7	.02	10
26313	0.05	1.3	40	1.6	120	4.7	.02	10
26316	1/16	-	50	2.0	145	5.7	.03	10
26320	5/64	2.0	50	2.0	145	5.7	.03	10
26323	3/32	-	60	2.4	170	6.7	.04	10
26327	7/64	-	60	2.4	170	6.7	.04	10
26331	1/8	-	60	2.4	170	6.7	.04	10
26333	9/64	60	2.4	170	6.7	6.7	.05	10
26336	5/32	60	2.4	170	6.7	6.7	.05	10

\*Metric dimensions actual - Inch dimensions approximate



**26391 8 Pc. Precision Hex Driver Set - Inch**  
Blade high alloy CVM steel.

Item				
No.	Inch	Inch	lbs.	
26391	26307	0.028	1.6	.32
	26309	0.035	1.6	
	26313	0.05	1.6	
	26316	1/16	2.0	
	26320	5/64	2.0	
	26323	3/32	2.4	
	26327	7/64	2.4	
	26331	1/8	2.4	

**Wiha Ball End Precision Series**



**264 Metric Ball End Hex Metric Screwdriver With Precision Handle**  
Angle entry up to 30°. Blade high alloy CVM steel.

Item								
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	1.3	0.05	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0	-	60	2.4	170	6.7	.05	10


\*Metric dimensions actual - Inch dimensions approximate



**26491 5 Piece Ball End Hex Driver Set - Metric**  
Angle entry up to 30°. Blade high alloy CVM steel.

Item				
No.	mm	mm	lbs.	
26491	26413	1.3	40	.31
	26415	1.5	50	
	26420	2.0	50	
	26425	2.5	60	
	26430	3.0	60	

**Wiha Ball End Precision Series**



**SHOP**

**264 Inch Ball End Hex Inch Screwdriver With Precision Handle**

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item								
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
26413	0.05	40	1.6	120	4.7	.02	10	
26416	1/16	50	2.0	145	5.7	.03	10	
26419	5/64	50	2.0	145	5.7	.03	10	
26423	3/32	50	2.0	145	5.7	.03	10	
26427	7/64	60	2.4	170	6.7	.03	10	
26431	1/8	60	2.4	170	6.7	.05	10	
26436	9/64	60	2.4	170	6.7	.05	10	
26439	5/32	60	2.4	170	6.7	.05	10	

\*Metric dimensions actual - Inch dimensions approximate

**SHOP**

**26490 8 Piece Ball End Hex Driver Set -**

**Inch** Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.



Item				
No.	Inch	Inch	lbs.	
26490	26413	0.05	1.6	.40
	26416	1/16	2.0	
	26419	5/64	2.0	
	26423	3/32	2.0	
	26427	7/64	2.4	
	26431	1/8	2.4	
	26436	9/64	2.4	
	26439	5/32	2.4	



**SHOP**

**26499 8 Piece Ball End Hex Driver Set - Inch**

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item							
No.	Inch	Inch	Inch	Inch	lbs.		
26499	26413	0.05	1.6	26427	7/64	2.4	.62
	26416	1/16	2.0	26431	1/8	2.4	
	26419	5/64	2.0	26436	9/64	2.4	
	26423	3/32	2.0	26439	5/32	2.4	

**Wiha Ball End Precision Series**



**SHOP**

**62995 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch &**

**Metric Tech Pack** Wiha Proturm precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

**62995 Set includes the following blades:**

- ↓ **Slotted:** 1.5, 2.0, 3.0, 4.0
- ⊕ **Phillips:** #000, #00, #0, #1
- ⊛ **TORX®:** T6, T7, T8, T9, T10, T15, T20
- ⬠ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⬠ **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm
- ↔ **lbs.** .87

**62994 14 Piece Inch/Metric Ball End Hex Work Tech Pack**

Proturm precision ball retainer handle & 13 Wiha interchangeable blades.

**62994 Set includes the following blades:**

- ⬠ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⬠ **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm
- ↔ **lbs.** .66 Set in canvas storage pouch

**SYS 4 Drive-Loc Precision Locking Tools**



**SHOP**

**26961 ESD Safe Dissipative Precision Drive-Loc Handle**

Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



**280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades**

On 4mm Hex blades

Item					
No.	mm	mm	lbs.		
28003	1.3	+	1.3	.02	
28004	1.5	+	1.5	.02	
28005	2.0	+	2.0	.02	
28006	2.5	+	2.5	.02	
28007	3.0	+	3.0	.02	
28008	4.0	+	4.0	.02	

**SHOP**



**Rotating Cap**  
for precise turning and control

**Precision Handle**  
high quality plastic, cadmium free. ESD Safe or Standard styles

**Tapered Handle**  
allows rapid rotation, requires less clearance

**Tips**  
exact fit, precision machined

**Blades**  
CVM steel, hardened, hard chromed

15mm  
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"  
95mm

**SHOP**

**26900 SYS 4 Standard Precision Handle**, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item				
No.	mm	Inch	mm	Inch lbs.
26900	4.0	.1574	14.0	.55 .04

**SHOP**

**26901 SYSTEM 4 Standard Precision Adjustable handle** with rotating control cap.

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item				
No.	mm	Inch	mm	Inch lbs.
26901	4.0	.1574	14.0	.55 .06

**SHOP**

**269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade**

Wiha vapor Chrome-Top finish on tips. One side hex, other side ball end hex.

Item				
No.	mm	mm	mm	Inch lbs.
26932	1.27+ 1.27	120	4.7	.05
26933	1.5 + 1.5	120	4.7	.05
26934	2.0 + 2.0	120	4.7	.06
26935	2.5 + 2.5	120	4.7	.06
26936	3.0 + 3.0	120	4.7	.06
26937	4.0 + 4.0	120	4.7	.06

**SHOP**

**28000 ESD Safe Dissipative Precision Handle** with rotating control cap. Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item				
No.	mm	Inch	mm	Inch lbs.
28000	4.0	.1574	14.0	.55 .04

**SHOP**

**28001 ESD Safe Dissipative Precision Adjustable Handle** with rotating control cap.

**Advantages:**

- Use in ESD sensitive applications. Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item				
No.	mm	Inch	mm	Inch lbs.
28001	4.0	.1574	14.0	.55 .04

For angle entry

**SHOP**

**280 SYSTEM 4 Metric Ball End Hex Interchangeable Blade** Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	mm	mm	Inch	lbs. pkg.
28033	1.5	120	4.7	.06 1
28034	2.0	120	4.7	.06 1
28035	2.5	120	4.7	.06 1
28036	3.0	120	4.7	.06 1
28037	4.0	120	4.7	.06 1

For angle entry

**SHOP**

**280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade** Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06

**SHOP**

**269 SYSTEM 4 Metric Hex, Interchangeable Blade** High alloy CVM steel, hardened, corrosion protected.

Item				
No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26915	1.3	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06

**SHOP**

**269 SYSTEM 4 Inch Hex, Interchangeable Blade** High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
26921	0.05	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06

Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades

**SHOP**

**26999 9 Pc. Hex Metric Precision Blade Set** Set includes the following blades:

- Hex Metric:** 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs.** .66

Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades

**SHOP**

**26989 9 Pc. Hex Inch Precision Blade Set** Set includes the following blades:

- Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- lbs.** .64



## SYSTEM 4 Handles & Micro Bits

**Tips**  
exact fit,  
precision  
machined

**Rotating Cap**  
for precise  
turning and  
control

**Tapered Handle**  
allows rapid rotation,  
requires less clearance

**Bits** CVM steel,  
hardened





Use bits directly in handle or with 4" bit extension



110mm/4.3" OAL

### 75800 SYSTEM 4 Standard Precision Bit

**Handle** with rotating control cap. Tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits.

Item				
<b>No.</b>	mm	Inch	mm	Inch lbs.
<b>75800</b>	4.0	.1574	14.0	.55 .06







110mm/4.3" OAL

### 75801 SYSTEM 4 ESD Safe Dissipative





**Precision Bit Handle** with rotating control cap. Tapered, high quality plastic, impact resistant. **Advantages:**

- For working in ESD sensitive applications Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item				
<b>No.</b>	mm	Inch	mm	Inch lbs.
<b>75801</b>	4.0	.1574	14.0	.55 .06







**75901 Magnetic Bit Extension Blade For SYSTEM 4 Micro Bits** Shaft CVM steel, hardened. Magnetic bit holder.

Item				
<b>No.</b>	Size	mm	mm	lbs.
<b>75901</b>	4.0	100	4.0	.04







**75900 Extension Blade For SYSTEM 4 Micro Bits** Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4 mm bits.

Item				
<b>No.</b>	Size	mm	mm	lbs.
<b>75900</b>	4.0	100	4.0	.07







**753 SYSTEM 4 Hex Metric Bits** High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
<b>No.</b>	mm	mm	Inch	lbs.
<b>75307</b>	.71	28	1.1	.01
<b>75309</b>	.89	28	1.1	.01
<b>75313</b>	1.3	28	1.1	.01
<b>75315</b>	1.5	28	1.1	.01
<b>75320</b>	2.0	28	1.1	.01
<b>75325</b>	2.5	28	1.1	.01
<b>75330</b>	3.0	28	1.1	.01
<b>75340</b>	4.0	28	1.1	.01







**753 SYSTEM 4 Hex Inch Bits** High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
<b>No.</b>	Inch	mm	Inch	lbs.
<b>75307</b>	.028	28	1.1	.01
<b>75309</b>	.035	28	1.1	.01
<b>75313</b>	.050	28	1.1	.01
<b>75350</b>	1/16	28	1.1	.01
<b>75352</b>	5/64	28	1.1	.01
<b>75354</b>	3/32	28	1.1	.01
<b>75356</b>	7/64	28	1.1	.01
<b>75358</b>	1/8	28	1.1	.01
<b>75360</b>	9/64	28	1.1	.01
<b>75340</b>	5/32	28	1.1	.01







**753 SYSTEM 4 Metric Security Hex Bits** High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
<b>No.</b>	mm	mm	Inch	lbs.
<b>75322</b>	2.0	28	1.1	.01
<b>75327</b>	2.5	28	1.1	.01
<b>75332</b>	3.0	28	1.1	.01
<b>75342</b>	4.0	28	1.1	.01



**753 SYSTEM 4 Security Hex Inch Bits** High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
<b>No.</b>	Inch	mm	Inch	lbs.
<b>75362</b>	5/64	28	1.1	.01
<b>75364</b>	3/32	28	1.1	.01
<b>75366</b>	7/64	28	1.1	.01
<b>75368</b>	1/8	28	1.1	.01
<b>75370</b>	9/64	28	1.1	.01
<b>75372</b>	5/32	28	1.1	.01





## Wiha SYSTEM 4 Micro Bits & Compact Bit Sets



18 Pc. Set

### 75395 18 Piece SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, In Compact Fold Out Box




Wiha precision handle, bit extension & 16 Wiha interchangeable bits.

Item No.	Combination Bit Set
<b>75395</b>	Set with Standard Precision Handle
	<b>Set includes the following bits:</b>
	 <b>Hex Metric:</b> .71, .89, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	 <b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	 <b>100mm Bit Extension</b>
	 <b>lbs.</b> .58





### 75096 16 Piece Precision Micro Bit Hex Inch & Metric Sets

ESD Safe precision handle, Bit Extension and 14 CVM steel Micro Bits.

Set includes the following Micro Bits:
 <b>Inch:</b> 0.89/0.35", 1.3/.050", 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
 <b>Metric:</b> 1.5, 2.0, 2.5, 3.0, 4.0mm
 <b>lbs.</b> .14



**75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

Item No.	Precision Storage Handle Set
<b>75983</b>	 <b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8"
	 <b>lbs.</b> .08



**Wiha Cushion Grip Stubby Bit Holder**

**Stubby 6 in 1 Multi-Bit Driver Sets**



Ergo soft grip handles

Stainless steel bit holder

Bits hardened for extreme durability

Just 2.5" over all length



[SHOP](#)

**38056** Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

● Ball End Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	lbs. .21
--	-------------



[SHOP](#)

**38057** Hex Metric SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

● Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	lbs. .18
--	-------------



[SHOP](#)

**38058** Hex Inch SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

● Hex Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	lbs. .18
--	-------------

**Wiha Torque Ratchet Bit Sets**

**Smooth, high torque, silent ratchet handle**

**Pistol Grip Handle** ergonomic design with free running mechanism. Instant clutch engagement allows constant turning pressure on the fastener.

**Hex Retainer** for bit holder blades



**No release** of handle is needed, change of direction can be made with index finger and thumb. **Allows** for quick adjustment to right, left or fixed turning.

**Opens a new generation of easier torque transmission**



[SHOP](#)

**28298** 12 Piece Hex Inch Topra Ratchet Bit Set

Set includes Topra Handle, Magnetic bit holder and the following bits:

● Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	lbs. .65
---	-------------



[SHOP](#)

**28299** 10 Piece Hex Metric Topra Ratchet Bit Set

Set includes Topra Handle, Magnetic bit holder and the following bits:

● Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	lbs. .65
--	-------------

**Wiha Bit Selectors**

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Plastic storage box is compact, durable and light weight

Slide out drawer allows quick bit access and secure storage



Molded hex cavity in box end Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

1/4" Magnetic Adapter fits all standard 1/4" bits

**792 Sets Bit-Selector Sets**

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



[SHOP](#)

**79276 Bit-Selector With Ball End Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:**

● <b>Ball End Hex Inch:</b> 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	↔ lbs. .30
---	------------



Item #79246

[SHOP](#)

**79246 Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:**

● <b>Hex Inch:</b> 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	↔ lbs. .32
--	------------

**79256 Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:**

● <b>Hex Metric:</b> 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	↔ lbs. .30
---	------------



[SHOP](#)

**79266 Bit-Selector With Security Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 9 Bits:**

● <b>Hex Inch:</b> 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	↔ lbs. .31
--	------------

**Screw Holding**



**MagicRing**



[SHOP](#)

**71399 Bit-Selector With Metric & Inch MagicRing Insert 1/4" Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:**

● <b>No Ball End</b>	↔ lbs. .46
<b>Hex Metric:</b> 3.0, 4.0, 5.0, 6.0mm	
<b>Hex Inch:</b> 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	

**Wiha MagicRing Insert Bits**

**Screw Holding Hex Bits**



[SHOP](#)

**713 MagicRing Metric Insert Bits, 1/4"**

Item	Hex	mm	mm	pkg.	lbs.
71304	●	3.0	25	1	.01
71307	●	4.0	25	1	.01
71310	●	5.0	25	1	.01
71311	●	6.0	25	1	.01

**713 MagicRing Inch Insert Bits, 1/4"**

Item	Hex	Inch	mm	pkg.	lbs.
71343	●	1/8	25	1	.01
71346	●	9/64	25	1	.01
71349	●	5/32	25	1	.01
71352	●	3/16	25	1	.01
71354	●	7/32	25	1	.01
71358	●	1/4	25	1	.01

[SHOP](#)

**Wiha MagicRing Power Bits**

**Screw Holding Hex Bits**



[SHOP](#)

**743 MagicRing Metric Power Bits, 1/4"**

Item	Hex	mm	mm	pkg.	lbs.
74301	●	3.0	50	1	.02
74305	●	4.0	50	1	.02
74307	●	5.0	50	1	.03
74319	●	6.0	50	1	.03

**743 MagicRing Inch Power Bits, 1/4"**

Item	Hex	mm	mm	pkg.	lbs.
74369	●	1/8	50	1	.02
74371	●	9/64	50	1	.02
74373	●	5/32	50	1	.02
74375	●	3/16	50	1	.03
74377	●	7/32	50	1	.03
74379	●	1/4	50	1	.03

[SHOP](#)



**Wiha XSelector Bit Sets**

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool

Easy bit access with hinged cover



XSelector Pocket Sized  
3-1/8" x 2-1/8" x 1/2"

Sets include Clicfix quick release holder

**794 Sets XSelector Bit Sets**

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clip.



**79446 XSelector Bit Set With Hex Inch Bits**

Set Includes Quick Release Holder and the following 10 bits: lbs. .27

- Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

**Wiha Security Hex Inch & Metric PokitPaks**



**71998 PokitPak - Security Hex Inch Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits**

- Inch Security Hex: lbs. .12
- 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



**71995 PokitPak - Security Hex Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits**

- Metric Security Hex: lbs. .31
- 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

**Wiha Power Bit Belt Packs**



**74986 Power Bit Belt Pack With Inch & Metric Hex Bits**

Set includes the following 10 bits: lbs. .34

- Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- Metric: 3.0, 4.0, 5.0, 6.0mm



**Screw Holding Hex Bits**




**74989 Power Bit Belt Pack With Screw Holding Hex MagicRing Bits**

Set includes the following 10 bits: lbs. .34

- Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- Metric: 3.0, 4.0, 5.0, 6.0mm



**Screw Holding Hex Bits**



**74999 Power Bit Belt Pack With Screw Holding Inch & Metric Ball End Hex MagicRing Bits**

Set includes the following 10 bits: lbs. .37

- Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- Metric: 3.0, 4.0, 5.0, 6.0mm

**Wiha Security Hex Inch Multi Bit Set**



**38014 Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set**

With Wiha Powerhandle & CVM steel, hardened shaft. Set includes the following 1/4" bits: lbs. .39

Security Hex: 3/32, 1/8, 5/32, 3/16, 7/32"



# Hex Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual & machine Hardness HRC 59-61



## 713 Hex Inch Insert Bits, 1/4"

Item					
No.	Inch	mm	pkg.	lbs.	
71329	.050	25	10	.12	
71326	1/16	25	10	.12	
71328	5/64	25	10	.12	
71330	3/32	25	10	.12	
71333	7/64	25	10	.12	
71336	1/8	25	10	.12	
71339	9/64	25	10	.12	
71342	5/32	25	10	.12	
71345	3/16	25	10	.13	
71348	7/32	25	10	.13	
71351	1/4	25	10	.13	
71353	5/16	25	10	.20	
71356	3/8	25	10	.25	



## 713 Hex Metric Insert Bits, 1/4"

Item					
No.	mm	mm	pkg.	lbs.	
71303	1.5	25	10	.12	
71306	2.0	25	10	.12	
71308	2.5	25	10	.12	
71309	3.0	25	10	.12	
71312	4.0	25	10	.12	
71315	5.0	25	10	.14	
71318	6.0	25	10	.14	
71321	8.0	25	10	.20	
71324	10.0	25	10	.27	

## 725 Hex Metric Insert Contractor Grade, 1/4"

Item					
No.	Size	mm	pkg.	lbs.	
72582	2.0	25	30 pc	.85	
72583	2.5	25	30 pc	.85	
72584	3.0	25	30 pc	.85	
72585	4.0	25	30 pc	.85	
72586	5.0	25	30 pc	.85	
72587	6.0	25	30 pc	.85	

## Wiha Hex Inch & Metric Insert Bit Packs



### 713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item				
No.	Inch	mm	lbs.	
71359	.050	25	.03	
71360	1/16	25	.03	
71361	5/64	25	.03	
71362	3/32	25	.03	
71363	7/64	25	.03	
71364	1/8	25	.03	
71365	9/64	25	.03	
71366	5/32	25	.04	
71367	3/16	25	.04	
71368	7/32	25	.04	
71369	1/4	25	.04	
71373	5/16	25	.05	
71387	3/8	25	.06	

### 733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item				
No.	mm	mm	lbs.	
73301	1.5	25	.03	
73302	2.0	25	.03	
73303	2.5	25	.03	
73304	3.0	25	.03	
73305	4.0	25	.03	
73306	5.0	25	.03	
73307	6.0	25	.04	
73308	8.0	25	.05	
73309	10.0	25	.06	



### 71396 Hex Inch Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71396 Set includes the following bits:

	Hex Inch:
	1/16, 3/32, 1/8, 5/32
wt. .13	3/16, 1/4" x 1" (25mm)

### 71397 Hex Metric Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71397 Set includes the following bits:

	Hex Metric:
wt. .21	2.0, 2.5, 3.0, 4.0, 5.0, 6.0

## Wiha Security Hex Insert Bits



### 719 Security Hex In Insert Bits, 1/4"

Item					
No.	Inch	mm	pkg.	lbs.	
71930	5/64	25	10	.12	
71932	3/32	25	10	.12	
71934	7/64	25	10	.12	
71936	1/8	25	10	.12	
71938	9/64	25	10	.12	
71940	5/32	25	10	.12	
71955	3/16	25	10	.13	
71956	7/32	25	10	.14	
71960	1/4	25	10	.15	



### 719 Security Hex Metric Insert Bits, 1/4"

Item					
No.	mm	mm	pkg.	lbs.	
71939	2.0	25	10	.12	
71941	2.5	25	10	.12	
71942	3.0	25	10	.12	
71943	4.0	25	10	.12	
71944	5.0	25	10	.15	
71945	6.0	25	10	.15	
71946	8.0	25	10	.20	



### 719 Security Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item				
No.	Inch	mm	lbs.	
71970	5/64	25	.03	
71971	3/32	25	.03	
71972	7/64	25	.03	
71973	1/8	25	.03	
71974	9/64	25	.03	
71975	5/32	25	.03	
71976	3/16	25	.04	
71977	7/32	25	.04	
71978	1/4	25	.04	

### 719 Security Hex Metric Insert Bit Packs, 1"





CVM S2 modified tool steel.

Item				
No.	mm	mm	lbs.	
71979	2.0	25	.03	
71980	2.5	25	.03	
71981	3.0	25	.03	
71982	4.0	25	.03	
71983	5.0	25	.04	
71984	6.0	25	.04	
71985	8.0	25	.05	

**Wiha Hex Inch & Metric Power Bits**







**743 Hex Inch Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	Inch	mm	pkg.	lbs.
74311	3/32	50	10	.30
74312	7/64	50	10	.30
74313	1/8	50	10	.30
74314	9/64	50	10	.30
74315	5/32	50	10	.30
74316	3/16	50	10	.30
74317	7/32	50	10	.30
74318	1/4	50	10	.30







**743 Hex Inch Power Bits**  
1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	Inch	mm	pkg.	lbs.
74341	5/64	70	1	.36
74342	3/32	70	1	.36
74343	7/64	70	1	.36
74344	1/8	70	1	.36
74345	9/64	70	1	.36
74346	5/32	70	1	.36
74347	3/16	70	1	.36
74348	7/32	70	1	.36
74349	1/4	70	1	.36







**743 Hex Metric Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	mm	mm	pkg.	lbs.
74325	2.5	50	10	.25
74330	3.0	50	10	.25
74340	4.0	50	10	.25
74350	5.0	50	10	.25
74360	6.0	50	10	.25
74380	8.0	50	10	.38







**743 Hex Metric Power Bits**  
1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	mm	mm	pkg.	lbs.
74351	2.0	70	1	.36
74352	2.5	70	1	.36
74353	3.0	70	1	.36
74354	4.0	70	1	.36
74355	5.0	70	1	.36
74356	6.0	70	1	.36
74357	8.0	70	1	.36







**743 Hex Inch Power Bit Packs, 2"**

Item				
No.	Inch	mm	lbs.	
74381	3/32	50	.07	
74382	7/64	50	.07	
74383	1/8	50	.07	
74384	9/64	50	.07	
74385	5/32	50	.07	
74386	3/16	50	.07	
74387	7/32	50	.07	
74388	1/4	50	.07	



**743 Hex Metric Power Bit Packs, 2"**





Item				
No.	mm	mm	lbs.	
74361	2.5	50	.07	
74362	3.0	50	.07	
74363	4.0	50	.07	
74364	5.0	50	.07	
74365	6.0	50	.07	
74366	8.0	50	.09	



**Hex Metric Long Insert Bit On 5/16"**



**72388 Hex Metric Bit On 5/16" Stock**





Item				
No.	mm	mm	pkg.	lbs.
72388	12.0	75	10	.14



**Stainless Steel Hex Metric Bits**



**701 Stainless Steel Hex Metric Insert Bits**





Item				
No.	mm	mm	pkg.	
70170	1.5	25	10	
70171	2.0	25	10	
70172	2.5	25	10	
70173	3.0	25	10	
70174	4.0	25	10	
70175	5.0	25	10	
70176	6.0	25	10	



**Wiha Ball End Hex Inch Insert Bits**







**717 Ball End Hex Inch Insert Bits, 1/4"**

Item				
No.	Inch	mm	pkg.	lbs.
71701	3/32	25	10	.12
71702	7/64	25	10	.12
71703	1/8	25	10	.12
71704	9/64	25	10	.12
71705	5/32	25	10	.12
71706	3/16	25	10	.13
71707	7/32	25	10	.13
71708	1/4	25	10	.13



**717 Ball End Hex Inch Insert Bit Packs, 1"**

Item				
No.	Inch	mm	lbs.	
71711	3/32	25	.03	
71712	7/64	25	.03	
71713	1/8	25	.03	
71714	9/64	25	.03	
71715	5/32	25	.04	
71716	3/16	25	.04	
71717	7/32	25	.04	
71718	1/4	25	.04	

2 bit pack






**Ball End Hex Metric Power Bits**



2 pc. bit pack!

**717 Ball End Hex Metric Power Bits**

Item			
No.	mm	mm	pkg.
71719	1.5	38	1
71720	2.0	38	1
71721	2.5	38	1
71722	3.0	38	1
71723	4.0	38	1
71724	5.0	38	1
71725	6.0	38	1



**Wiha Terminator Hex Inch & Metric Impact Bits - Insert & Power**

**Up To 30X  
Performance Over  
Standard  
Screwdriver Bits**



Impact rated bits for long life in impact applications

Provide up to 30 times impact performance over standard bits

Standard 1/4" drive - No special adaptor required

Wiha enhanced bi-material torsion zone

Precision machined exact fit tips

Wiha exclusive CVM tool steel

Guaranteed to out perform impact imposters



**765 Hex Inch Terminator Impact Bits, 1/4" Insert - 10 bit pack**

Item No.	Inch	mm	pkg.	<a href="#">SHOP</a>
76530	1/8	29	10	
76531	9/64	29	10	
76532	5/32	29	10	
76533	3/16	29	10	
76534	7/32	29	10	
76535	1/4	29	10	



**768 Hex Inch Terminator Impact Bits, 1/4" Insert - 2 bit pack**

Item No.	Inch	mm	pkg.	<a href="#">SHOP</a>
76830	1/8	29	2	
76831	9/64	29	2	
76832	5/32	29	2	
76833	3/16	29	2	
76834	7/32	29	2	
76835	1/4	29	2	



**765 Hex Metric Terminator Impact Bits, 1/4" Insert - 10 bit pack**

Item No.	Inch	mm	pkg.	<a href="#">SHOP</a>
76523	3.0	29	10	
76524	4.0	29	10	
76525	5.0	29	10	
76526	6.0	29	10	



**768 Hex Metric Terminator Impact Bits, 1/4" Insert - 2 bit pack**

Item No.	Inch	mm	pkg.	<a href="#">SHOP</a>
76823	3.0	29	2	
76824	4.0	29	2	
76825	5.0	29	2	
76826	6.0	29	2	



**76893 7 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

76893 Set includes the following bits:

- Hex Inch: 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 4, 5, 6mm

[SHOP](#)



**765 Hex Inch Terminator Impact Bits, 1/4" Power - 10 bit pack**

Item No.	Inch	mm	pkg.	<a href="#">SHOP</a>
76570	1/8	49	10	
76571	9/64	49	10	
76572	5/32	49	10	
76573	3/16	49	10	
76574	7/32	49	10	
76575	1/4	49	10	



**768 Hex Inch Terminator Impact Bits, 1/4" Power - 2 bit pack**

Item No.	Inch	mm	pkg.	<a href="#">SHOP</a>
76870	1/8	49	2	
76871	9/64	49	2	
76872	5/32	49	2	
76873	3/16	49	2	
76874	7/32	49	2	
76875	1/4	49	2	



**765 Hex Metric Terminator Impact Bits, 1/4" Power - 10 bit pack**

Item No.	Inch	mm	pkg.	<a href="#">SHOP</a>
76563	3.0	49	10	
76564	4.0	49	10	
76565	5.0	49	10	
76566	6.0	49	10	



**768 Hex Metric Terminator Impact Bits, 1/4" Power - 2 bit pack**

Item No.	Inch	mm	pkg.	<a href="#">SHOP</a>
76863	3.0	49	2	
76864	4.0	49	2	
76865	5.0	49	2	
76866	6.0	49	2	




**76894 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm**

76894 Set includes the following bits:

- Hex Inch: 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 4, 5, 6mm

[SHOP](#)

**1/4" Drive Insert & Power Bits**



**Up To 30X Performance  
Over Standard Screwdriver Bits**

**91247 Empty Bit Buddy Case Holds Terminator Impact Insert Bits**

91247 Holds 7 Impact Bits

[SHOP](#)

**91313 Empty Bit Buddy Case Holds Terminator Impact Power Bits**

91313 Holds 7 Impact Bits

[SHOP](#)

### Wiha Bit Holders


Quick Release



**714** ClicFix Bit Holder, Magnetic, For Insert Bits

Item				
No.	Size	Size	mm	Inch
71490	1/4"	1/4"	60	2.4
71491	1/4"	1/4"	75	2.9

Quick Release



**714** CentroFix Bit Holder For Power Bits

Item				
No.	Size	Size	mm	Inch
71480	1/4"	1/4"	60	2.3

### Wiha Impact Bit Holding Sockets



**720** Impact Bit Holding Socket With Retaining Ring

For 1/4" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
72001	1/4	25	1/4"	.05
72002	1/4	30	3/8"	.10
72003	1/4	35	1/2"	.21

**72090** 3 Piece Bit Holding Socket Set

for use with 1/4" Insert bits

Drive:		lbs.
1/4", 3/8", 1/2"	.40	

### Long Blade Sockets & Sets



**771** Hex Metric Sockets

1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
77140	2.5	6.0	.13
77142	3.0	6.0	.13
77144	4.0	6.0	.13
77146	5.0	6.0	.13
77148	6.0	6.0	.13

**77192** 5 Pc. Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm

	lbs. .70
--	----------



### Long Blade Sockets & Sets



**771** Hex Inch Sockets 1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
77128	3/32	6.0	.12
77130	7/64	6.0	.12
77132	1/8	6.0	.12
77134	9/64	6.0	.12
77136	5/32	6.0	.12
77138	3/16	6.0	.12
77139	7/32	6.0	.12
77141	1/4	6.0	.12

**77191** 8 Piece Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32,

3/16, 7/32, 1/4" wt. .97



**771** Hex Inch Sockets 3/8" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
77165	3/32	6.0	.18
77167	7/64	6.0	.18
77169	1/8	6.0	.18
77171	9/64	6.0	.18
77173	5/32	6.0	.18
77175	3/16	6.0	.18
77177	7/32	6.0	.18
77179	1/4	6.0	.18



**77198** 22 Piece Hex & TORX® Long Blade Socket Set, 1/4" Drive

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32,

3/16, 7/32, 1/4"

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40

	lbs. 2.82
--	-----------

### Wiha Sockets



**713** Hex Sockets 1/4" Square drive socket.

Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
71371	1/16	38	.05
71370	5/64	38	.05
71372	3/32	38	.05
71374	7/64	38	.05
71376	1/8	38	.05
71378	9/64	38	.05
71380	5/32	38	.05
71382	3/16	38	.05
71384	7/32	38	.05
71386	1/4	38	.05



**Wiha Sockets**



[SHOP](#)

**713 Hex Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

Item				
No.	Inch	mm	lbs.	
71375	1/8	42	.09	
71377	9/64	42	.09	
71379	5/32	42	.09	
71381	3/16	42	.09	
71383	7/32	42	.09	
71385	1/4	42	.09	
71388	5/16	42	.10	
71390	3/8	42	.10	



[SHOP](#)

**713 Hex Metric Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	mm	mm	lbs.	
71301	1.5	38	.04	
71302	2.0	38	.04	
71305	2.5	38	.04	
71313	3.0	38	.04	
71314	4.0	38	.04	
71317	5.0	38	.05	
71319	6.0	38	.05	
71327	8.0	38	.05	
71340	10.0	38	.05	



[SHOP](#)

**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	mm	mm	lbs.	
71300	2.0	42	.09	
71316	2.5	42	.09	
71341	3.0	42	.09	
71331	4.0	42	.09	
71323	5.0	42	.09	
71325	6.0	42	.09	
71320	8.0	42	.10	
71322	10.0	42	.11	



[SHOP](#)

**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

Item			
No.	mm	mm	lbs.
71332	12.0	75	.22



Replaceable bit

[SHOP](#)

**761 Security Hex Inch Sockets**

3/8" Square drive socket. 1/4" bits CVM steel.

Item				
No.	Inch	mm	lbs.	
76164	5/64	42	.09	
76165	3/32	42	.09	
76166	7/64	42	.09	
76167	1/8	42	.09	
76168	9/64	42	.09	
76169	5/32	42	.09	
76170	3/16	42	.09	
76171	7/32	42	.09	
76172	1/4	42	.09	

**761 Security Hex Metric Sockets**

3/8" Square drive socket. 1/4" bits CVM steel.

Item				
No.	mm	mm	lbs.	
76132	2.0	42	.09	
76133	2.5	42	.09	
76134	3.0	42	.09	
76135	4.0	42	.09	
76136	5.0	42	.09	
76137	6.0	42	.09	
76138	8.0	42	.09	



[SHOP](#)

**717 Ball End Hex Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	Inch	mm	lbs.	
71761	3/32	38	.09	
71762	7/64	38	.09	
71763	1/8	38	.09	
71764	9/64	38	.09	
71765	5/32	38	.09	
71766	3/16	38	.09	
71767	7/32	38	.09	
71768	1/4	38	.09	



[SHOP](#)


**717 Ball End Hex Metric Sockets**

1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	mm	mm	lbs.	
71771	1.5	51	.11	
71772	2.0	51	.11	
71773	2.5	51	.11	
71774	3.0	51	.11	
71775	4.0	51	.11	
71776	5.0	51	.12	
71777	6.0	51	.12	




## Wiha Socket Sets On Molded Rails


Bits CVM  
tool steel

### 71391 10 Piece Hex Inch Socket Set

1/4" Square drive replaceable bit socket.

Item No. 

<b>71391</b>	lbs.	<b>Set includes the following:</b>
.48		1/16, 5/64, 3/32, 7/64, 1/8
		9/64, 5/32, 3/16, 7/32, 1/4"


Bits CVM  
tool steel

### 71798 8 Pc. Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.

Item No. 

<b>71798</b>	lbs.	<b>Set includes the following:</b>
.72		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"


Bits CVM  
tool steel

### 71398 7 Pc. Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.

Item No. 

<b>71398</b>	lbs.	<b>Set includes the following:</b>
.48		3/32, 1/8, 9/64, 5/32,
		3/16, 7/32, 1/4"

Bits CVM  
tool steel

### 71797 7 Pc. Ball End Hex Metric Sockets

1/4" Square Drive Replaceable Bit Socket.


Item No. 

<b>71797</b>	lbs.	<b>Set includes the following:</b>
.72		Hex Metric: 1.5, 2.0, 2.5,
		3.0, 4.0, 5.0, 6.0mm

Bits CVM  
tool steel

### 71392 8 Piece Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 

<b>71392</b>	lbs.	<b>Set includes the following:</b>
.78		1/8, 9/64, 5/32, 3/16, 7/32,
		1/4, 5/16, 3/8"

Bits CVM  
tool steel

### 71393 5 Piece Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 

<b>71393</b>	lbs.	<b>Set includes the following:</b>
.54		Hex Inch: 1/8, 3/16,
		1/4, 5/16, 3/8"

Bits CVM  
tool steel

### 71394 5 Piece Hex Metric Socket Set

3/8" Square Drive Replaceable Bit Socket.


Item No. 

<b>71394</b>	lbs.	<b>Set includes the following:</b>
.56		Hex Metric: 4.0, 5.0, 6.0,
		8.0, 10.0mm

Bits CVM  
tool steel

### 71996 9 Piece Hex Metric Socket Set

1/4" &amp; 3/8" Sq. Dr. Replaceable Bit Socket


Item No. 

<b>71996</b>	lbs.	<b>Set includes the following:</b>
.66		1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
		3/8": 5.0, 6.0, 8.0, 10.0mm

Bits CVM  
tool steel

### 71999 9 Pc. Security Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.


Item No. 

<b>71999</b>	lbs.	<b>Set includes the following:</b>
.86		5/64, 3/32, 7/64, 1/8,
		9/64, 5/32, 3/16, 7/32, 1/4"

Bits CVM  
tool steel

### 71989 7 Pc. Security Hex Metric Sockets

3/8" Square Drive Replaceable Bit Socket.

Item No. 

<b>71989</b>	lbs.	<b>Set includes the following:</b>
.74		2.0, 2.5, 3.0, 4.0, 5.0,
		6.0, 8.0mm

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
13650	22	26427	29	27545	26	28547	24	33417	13	35104	19
13651	22	26430	28	27547	26	28548	24	33418	12	35108	19
13652	22	26431	29	27549	26	28549	24	33419	13	35112	19
13653	22	26436	29	27590	26	28550	24	33420	12	35116	19
13654	22	26439	29	27591	26	28551	24	33421	13	35120	19
13655	22	26440	28	28000	30	28552	24	33422	12	35124	19
13656	22	26441	27	28001	30	28553	24	33423	13	35128	19
13657	22	26443	27	28003	29	28554	24	33424	12	35132	19
13658	22	26445	27	28004	29	28555	24	33425	13	35136	19
13659	22	26447	27	28005	29	28556	24	33426	12	35140	19
13662	22	26449	27	28006	29	28557	24	33427	13	35143	19
13663	22	26455	27	28007	29	28558	24	33428	12	35144	19
13664	22	26457	27	28008	29	28559	24	33429	13	35145	19
13665	22	26459	27	28021	30	28560	24	33430	12	35146	19
13666	22	26461	27	28023	30	28587	24	33432	12	35147	19
13667	22	26463	27	28024	30	28588	24	33433	12	35150	19
13668	22	26465	27	28025	30	28916	25	33434	13	35152	19
13669	22	26467	27	28026	30	28917	25	33435	13	35153	19
13670	22	26490	29	28027	30	28918	25	33436	13	35155	19
13671	22	26491	28	28028	30	28919	25	33437	13	35156	19
13672	22	26493	27	28029	30	28920	25	33438	13	35159	19
13673	22	26499	29	28033	30	28921	25	33439	12	35162	19
13690	22	26900	30	28034	30	28922	25	33440	12	35165	19
13691	22	26901	30	28035	30	28923	25	33441	21	35168	19
13693	22	26913	30	28036	30	28924	25	33442	12	35171	19
13694	22	26914	30	28037	30	28931	25	33443	21	35174	19
26307	28	26915	30	28116	23	28933	25	33444	12	35175	19
26309	28	26916	30	28117	23	28935	25	33445	21	35176	19
26313	28	26917	30	28118	23	28937	25	33446	12	35177	19
26315	28	26918	30	28119	23	28938	25	33447	21	35178	19
26316	28	26919	30	28120	23	28939	25	33448	12	35179	19
26320	28	26920	30	28122	23	28940	25	33449	21	35180	19
26323	28	26921	30	28123	23	31805	22	33450	12	35191	19
26325	28	26923	30	28124	23	31807	22	33452	12	35192	19
26327	28	26924	30	28149	23	31809	22	33453	13	35193	19
26330	28	26925	30	28150	23	31811	22	33454	12	35194	19
26331	28	26926	30	28151	23	31813	22	33456	13	35195	17
26333	28	26927	30	28189	23	31815	22	33458	12	35196	17
26336	28	26928	30	28298	32	31817	22	33459	13	35197	17
26340	28	26929	30	28299	32	31890	22	33462	13	35198	17
26341	27	26932	30	28486	23	32302	21	33465	13	35200	18
26343	27	26933	30	28487	23	32303	21	33468	13	35201	18
26345	27	26934	30	28488	23	32304	21	33471	13	35202	18
26347	27	26935	30	28501	24	32305	21	33474	13	35203	18
26349	27	26936	30	28502	24	32306	21	33477	13	35204	18
26351	27	26937	30	28503	24	32308	21	33478	21	35205	18
26353	27	26961	29	28504	24	32366	21	33480	13	35206	18
26363	27	26989	30	28505	24	33401	13	33481	21	35208	18
26367	27	26999	30	28506	24	33402	13	33482	21	35210	18
26369	27	27505	26	28507	24	33403	13	33483	21	35211	18
26371	27	27507	26	28508	24	33404	13	33484	13	35212	18
26390	28	27509	26	28509	24	33405	13	33485	21	35213	18
26391	28	27510	26	28511	24	33406	13	33486	21	35214	18
26392	27	27513	26	28513	24	33407	13	33487	21	35215	18
26393	27	27515	26	28515	24	33408	13	33488	13	35216	18
26399	28	27520	26	28517	24	33409	13	33489	12	35217	18
26413	28	27525	26	28518	24	33410	13	33490	21	35218	18
26415	28	27530	26	28519	24	33411	13	33492	13	35219	18
26416	29	27535	26	28521	24	33412	13	33493	13	35220	18
26419	29	27537	26	28523	24	33413	13	33494	12	35221	18
26420	28	27539	26	28525	24	33414	13	33496	12	35222	18
26423	29	27541	26	28545	24	33415	13	33498	12	35223	18
26425	28	27543	26	28546	24	33416	13	33499	12	35224	18


Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
35225	18	35318	20	36909	9	36990	8	54002	11	66920	4
35226	18	35319	20	36910	9	36991	8	54003	11	66922	6
35227	18	35320	20	36911	7	36992	8	54004	11	66924	4
35228	18	35321	20	36912	8	36993	8	54005	11	66926	6
35230	18	35330	20	36913	7	36995	7	54006	11	66928	4
35231	18	35331	20	36914	7	36996	17	54007	11	66930	6
35232	18	35332	20	36915	7	36997	17	54008	11	66936	4
35233	18	35333	20	36916	8	36998	6	54009	11	66937	6
35234	18	35334	20	36917	7	36999	9	54010	11	66938	6
35235	18	35335	20	36918	7	38014	34	54012	10	66944	4
35236	18	35336	20	36919	7	38056	32	54014	10	66945	4
35237	18	35337	20	36920	8	38057	32	54016	10	66946	4
35238	18	35338	20	36921	7	38058	32	54018	10	66947	4
35239	18	35339	20	36922	7	46701	9	54020	11	66950	4
35240	18	35340	20	36923	9	46702	16	54022	10	66952	4
35241	18	35341	20	36924	8	46703	9	54024	10	66953	4
35242	18	35342	20	36925	9	46704	16	54025	11	66955	4
35243	18	35343	20	36926	9	46705	9	54030	11	66956	4
35244	18	35345	20	36927	9	46706	16	54040	10	66959	4
35245	18	35346	20	36928	8	46707	9	54042	11	66962	4
35246	18	35347	20	36929	9	46708	16	54050	10	66965	4
35247	18	35348	20	36930	9	46709	9	54052	11	66968	4
35248	18	35390	20	36931	9	46710	16	54060	10	66971	4
35249	18	35391	20	36932	9	46711	9	54062	11	66982	7
35250	18	35392	20	36933	9	46712	16	54080	10	66988	7
35251	18	35393	20	36934	9	46713	9	54082	11	66990	4
35252	18	36696	7	36935	9	46714	16	54086	10	66991	4
35253	18	36710	14	36936	8	46715	16	54088	11	66992	4
35254	18	36713	14	36937	9	46716	16	54090	10	66993	6
35255	18	36715	15	36938	9	46717	9	54091	10	66994	6
35256	18	36716	14	36939	9	46718	16	54092	11	66995	6
35257	18	36719	14	36940	6	46719	9	54094	11	66996	7
35258	18	36720	15	36941	6	46720	16	54095	11	66997	17
35259	18	36723	14	36942	6	46721	9	54097	11	66998	6
35260	18	36725	15	36943	6	46722	16	56901	5	70170	36
35261	18	36726	14	36944	8	46723	9	56902	5	70171	36
35270	18	36728	14	36945	8	46724	16	56903	5	70172	36
35280	18	36730	15	36946	8	46725	16	56904	5	70173	36
35282	18	36732	14	36947	8	46726	16	56905	5	70174	36
35284	18	36734	14	36948	6	46727	9	56906	5	70175	36
35285	18	36736	14	36949	6	46728	16	56907	5	70176	36
35286	18	36738	14	36950	8	46730	16	56908	5	71300	39
35288	18	36740	15	36951	6	46731	9	56909	5	71301	39
35290	18	36742	14	36952	8	46732	9	56910	5	71302	39
35291	18	36744	14	36953	8	46733	9	56911	5	71303	35
35295	18	36750	15	36954	6	46734	9	56912	5	71304	33
35297	18	36760	15	36955	8	46735	9	56913	5	71305	39
35301	20	36780	15	36956	8	46736	9	56914	5	71306	35
35302	20	36786	15	36957	6	46737	9	56915	5	71307	33
35303	20	36790	15	36958	6	46738	9	56916	5	71308	35
35304	20	36791	14	36959	8	46739	9	56917	5	71309	35
35305	20	36792	15	36960	6	46740	16	56918	5	71310	33
35306	20	36793	14	36961	6	46741	9	56919	5	71311	33
35307	20	36794	14	36962	8	46750	16	56920	5	71312	35
35308	20	36900	9	36963	6	46760	16	56921	5	71313	39
35309	20	36901	9	36965	8	46780	16	56922	5	71314	39
35310	20	36902	9	36966	9	46786	16	62994	29	71315	35
35311	20	36903	9	36968	8	46793	16	62995	29	71316	39
35312	20	36904	8	36971	8	46794	16	66904	4,6	71317	39
35313	20	36905	9	36986	5	46796	16	66908	4,6	71318	35
35314	20	36906	9	36987	5	46797	16	66912	4,6	71319	39
35316	20	36907	9	36988	7	46799	16	66916	4	71320	39
35317	20	36908	8	36989	9	54001	11	66918	6	71321	35



Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
71322	39	71396	35	71970	35	74348	36	75900	31	77132	38
71323	39	71397	35	71971	35	74349	36	75901	31	77134	38
71324	35	71398	40	71972	35	74350	36	75983	31	77136	38
71325	39	71399	33	71973	35	74351	36	76132	39	77138	38
71326	35	71480	38	71974	35	74352	36	76133	39	77139	38
71327	39	71490	38	71975	35	74353	36	76134	39	77140	38
71328	35	71491	38	71976	35	74354	36	76135	39	77141	38
71329	35	71701	36	71977	35	74355	36	76136	39	77142	38
71330	35	71702	36	71978	35	74356	36	76137	39	77144	38
71331	39	71703	36	71979	35	74357	36	76138	39	77146	38
71332	39	71704	36	71980	35	74360	36	76164	39	77148	38
71333	35	71705	36	71981	35	74361	36	76165	39	77165	38
71336	35	71706	36	71982	35	74362	36	76166	39	77167	38
71339	35	71707	36	71983	35	74363	36	76167	39	77169	38
71340	39	71708	36	71984	35	74364	36	76168	39	77171	38
71341	39	71711	36	71985	35	74365	36	76169	39	77173	38
71342	35	71712	36	71989	40	74366	36	76170	39	77175	38
71343	33	71713	36	71995	34	74369	33	76171	39	77177	38
71345	35	71714	36	71996	40	74371	33	76172	39	77179	38
71346	33	71715	36	71998	34	74373	33	76523	37	77191	38
71348	35	71716	36	71999	40	74375	33	76524	37	77192	38
71349	33	71717	36	72001	38	74377	33	76525	37	77198	38
71351	35	71718	36	72002	38	74379	33	76526	37	79246	33
71352	33	71719	36	72003	38	74380	36	76530	37	79256	33
71353	35	71720	36	72090	38	74381	36	76531	37	79266	33
71354	33	71721	36	72388	36	74382	36	76532	37	79276	33
71356	35	71722	36	72582	35	74383	36	76533	37	79446	34
71358	33	71723	36	72583	35	74384	36	76534	37	91118	26
71359	35	71724	36	72584	35	74385	36	76535	37	91247	37
71360	35	71725	36	72585	35	74386	36	76563	37	91313	37
71361	35	71761	39	72586	35	74387	36	76564	37		
71362	35	71762	39	72587	35	74388	36	76565	37		
71363	35	71763	39	73301	35	74986	34	76566	37		
71364	35	71764	39	73302	35	74989	34	76570	37		
71365	35	71765	39	73303	35	74999	34	76571	37		
71366	35	71766	39	73304	35	75096	31	76572	37		
71367	35	71767	39	73305	35	75307	31	76573	37		
71368	35	71768	39	73306	35	75309	31	76574	37		
71369	35	71771	39	73307	35	75313	31	76575	37		
71370	38	71772	39	73308	35	75315	31	76823	37		
71371	38	71773	39	73309	35	75320	31	76824	37		
71372	38	71774	39	74301	33	75322	31	76825	37		
71373	35	71775	39	74305	33	75325	31	76826	37		
71374	38	71776	39	74307	33	75327	31	76830	37		
71375	39	71777	39	74311	36	75330	31	76831	37		
71376	38	71797	40	74312	36	75332	31	76832	37		
71377	39	71798	40	74313	36	75340	31	76833	37		
71378	38	71930	35	74314	36	75342	31	76834	37		
71379	39	71932	35	74315	36	75350	31	76835	37		
71380	38	71934	35	74316	36	75352	31	76863	37		
71381	39	71936	35	74317	36	75354	31	76864	37		
71382	38	71938	35	74318	36	75356	31	76865	37		
71383	39	71939	35	74319	33	75358	31	76866	37		
71384	38	71940	35	74325	36	75360	31	76870	37		
71385	39	71941	35	74330	36	75362	31	76871	37		
71386	38	71942	35	74340	36	75364	31	76872	37		
71387	35	71943	35	74341	36	75366	31	76873	37		
71388	39	71944	35	74342	36	75368	31	76874	37		
71390	39	71945	35	74343	36	75370	31	76875	37		
71391	40	71946	35	74344	36	75372	31	76893	37		
71392	40	71955	35	74345	36	75395	31	76894	37		
71393	40	71956	35	74346	36	75800	31	77128	38		
71394	40	71960	35	74347	36	75801	31	77130	38		

(800) 494-6104  
 fax: (800) 494-7456  
 email: cservice@wihatools.com  
 www.wihatools.com

**SEE OUR GREAT  
 WEB SPECIALS!**



**Wiha Quality Tools**

1348 Dundas Circle  
 Monticello, MN 55362  
 tel: 763.295.6591  
 fax: 763.295.6598

**Wiha Tools Canada Ltd.**


www.wihatools.ca  
 Brampton, ONT L6T 4X4  
 tel: 866.494.0096 or 763.295.6591  
 fax: 763.295.6598

To:

Catalog Item No. 99934.w0  
 version - 5/15/14

Subject to change  
 without notice

©2014 Willi Hahn Corporation




91330.w0 - Tooling Catalog



99004.w0 - Shop Tools Catalog



99914.w0 - TORX Catalog



99002.w0 - Screwdrivers Catalog



99919.w0 - Insulated Catalog



99001.w0 - TorqueControl Catalog



99945.w0 - ESD Safe Catalog



99951.w0 - Bits Catalog



99977.w0 - Pliers/Crimpers Catalog



99006.w0 - Tech Tools Catalog