


2014




Professional Tech Tools




Complete Tech Tools Program




Wiha Precision Screwdrivers

Description	Page
Precision Slotted Drivers	4-5
Precision Phillips Drivers	5
Precision Pozidriv® Drivers	6
Precision Hex Drivers	6
Precision Ball End Drivers	7
Precision Nut Drivers	8
Precision Torx® Drivers	9
Precision Pentalobe Drivers	9
 Precision Chip Lifters	4



Wiha Magnetizer/Demagnetizer

Description	Page
 Magnetizer/Demagnetizer	13


Wiha Precision Protturn Drivers

Description	Page
 Protturn Drivers & Blade Sets	14
Slotted, Phillips, Torx, Chip Lifter	





Wiha Magnetizer/Demagnetizer

Description	Page
 Torque Cable Keys	7
 TorqueControl Handle	7



Wiha ESD Safe Precision Handles/Blades

Description	Page
 SYSTEM 4 Handles/Blades	15-16
SYSTEM 4 Sets	18-19


Wiha Precision Screwdriver Accessories

Description	Page
 Precision Master Tech Set	9
 Precision Pocket Clip	4
 Precision Stand	4
 Precision Pouch	11,13




Wiha ESD Safe Precision Handle & Blades

Description	Page
 SYSTEM 4 Drive-Loc Handle & Blades	17
 SYSTEM 4 Drive-Loc Set	17









Wiha Precision PicoFinish Drivers

Description	Page
 PicoFinish Screwdrivers	10-13
Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter & Nut Drivers	







ESD Safe Micro Bit Handles, Bits & Sets

Description	Page
 Micro Bits Handles/Bits/Sets	20-22
 Micro Bit Storage Handle Sets	21
 ESD Safe Micro Bit Sets	23



Precision Electronic Pliers/Cutters

	Description	Page
	Electronic Diagonal Cutters Wide Pointed Head	24
	Electronic Diagonal Cutters Wide Shape w/Wire Holding Spring	24
	Electronic Diagonal Cutters Narrow Shape	24
	Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	25
	Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	25
	Electronic Diagonal Cutters Oblique 30° Cutting Nippers	25
	Electronic Diagonal Cutters Short Nose Precision Pliers	25
	Electronic Stripping Pliers	25
	Flush Cutting Diagonal Cutters	25

Wiha Stripping Tools

	Description	Page
	Self Adj. Cut & Strip Tools	34
	Adjustable Cable Stripper	35
	Adjustable Stripping Tool	35
	CATV/Satellite Stripper	35
	2 Step Stripping Tools	36
	3 Step Stripping Tools	37

Wiha Professional Tweezers

	Description	Page
	ESD Safe Tweezers	26-28
	Inspection Mirrors	29




Wiha ESD Safe Tech Tools

- ESD Safe Precision Drivers
Slotted/Phillips/Torx®/
TorxPlus®/Hex/Nut Drivers/
Chip Lifter
- ESD Safe Ceramic Drivers
- ESD Safe SYSTEM 4
Handles/Blades/Sets
- ESD Safe Drive-Loc
Handles/Blades/Sets
- ESD Safe Pliers & Cutters



Catalog 99945.wo

Stripping & Crimping Tools

	Description	Page
	PortaCrimp Frame	30
	PortaCrimp Dies	31-33
	PortaCrimp Sets	30

Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
chrome-vanadium-molybdenum steel, Hard chrome finished

Tip
precision ground for exact fit, hard chromed non-slip surface

Wiha Precision Chip Lifter & Accessories

26810 Precision Chip Lifter
Blade chrome-vanadium-molybdenum steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
26810	1	3.5	50	145	5.7	.07	1

*Metric dimensions actual - Inch dimensions approximate

26001 Pocket Clip for Precision Screwdrivers
Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.	lbs.	pkg.
26001	Fits all Precision handles	.0035 1

26000 Plastic Precision Tool Rack
Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	lbs.	pkg.
26000	Rack for 6 Precision screwdrivers	.08 1

Wiha Long Life Precision Series

260 Slotted Screwdriver, With Precision Handle
Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26008	.80	1/32	40	1.6	0.16	.01	120	4.7	.02	10
26010	1.0	.039	40	1.6	0.18	.01	120	4.7	.02	10
26012	1.2	3/64	40	1.6	0.20	.01	120	4.7	.02	10
26015	1.5	1/16	40	1.6	0.25	.01	120	4.7	.02	10
26018	1.8	.070	40	1.6	0.30	.01	120	4.7	.02	10
26020	2.0	5/64	40	1.6	0.40	.02	120	4.7	.02	10
26022	2.0	5/64	50	2.0	0.40	.02	145	5.7	.02	10
26023	2.0	5/64	100	3.9	0.40	.02	180	7.1	.03	10
26025	2.5	3/32	50	2.0	0.40	.02	145	5.7	.03	10
26027	2.5	3/32	100	3.9	0.40	.02	195	7.7	.03	10
26028	2.5	3/32	150	6.0	0.40	.02	245	9.6	.04	10
26030	3.0	1/8	50	2.0	0.50	.02	145	5.7	.03	10
26032	3.0	1/8	60	2.4	0.50	.02	170	6.7	.04	10
26033	3.0	1/8	100	3.9	0.50	.02	210	8.3	.04	10
26034	3.0	1/8	150	5.9	0.50	.02	260	10.2	.05	10
26035	3.5	9/64	60	2.4	0.60	.02	170	6.7	.05	10
26040	4.0	5/32	60	2.4	0.80	.03	170	6.7	.05	10
26041	4.0	5/32	100	3.9	0.80	.03	210	8.3	.06	10
26042	4.0	5/32	150	5.9	0.80	.03	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate

26090 6 Piece Precision Slotted Set
Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	lbs.
26090 Slotted:	
1.5, 2.0 x 40mm	.27
2.5, 3.0 x 50mm	
3.5, 4.0 x 60mm	

26099 8 Piece Precision Slotted Set
Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	lbs.
26099 Slotted:	
1.0, 1.2, 1.5, 2.0 x 40mm	.54
2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	

Wiha Precision Slotted/Phillips Drivers



261 Phillips Screwdriver, With Precision Handle [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26102	000	40	1.6	2.0	.08	120	4.7	.02	10
26100	00	40	1.6	2.0	.08	120	4.7	.02	10
26101	00	75	3.0	2.0	.08	155	6.1	.02	10
26105	0	50	2.0	3.0	.12	145	5.7	.02	10
26108	0	75	3.0	3.0	.12	170	6.7	.03	10
26107	0	100	3.9	3.0	.12	195	7.6	.05	10
26109	0	150	5.9	3.0	.12	245	9.6	.06	10
26110	1	60	2.4	4.0	.16	170	6.7	.05	10
26113	1	80	3.1	4.0	.16	190	7.5	.05	10
26114	1	100	3.9	4.0	.16	210	8.2	.06	10
26115	1	150	5.9	4.0	.16	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



26092 7 Piece Precision Slotted & Phillips Set [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26092	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	0 x 75mm	



26190 7 Piece Precision Slotted & Phillips Set [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26190	1.5 x 40mm	.31
	2.0, 2.5 x 50mm	
	3.0 x 60mm	
	Phillips:	
	00 x 40mm	
	0 x 50mm, 1 x 60mm	



26194 4 Piece Precision Phillips Set [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Phillips:	lbs.
26194	000, 00 x 40mm	.18
	0 x 50mm, 1 x 60mm	



In canvas storage pouch

26199 8 Piece Precision Slotted/Phillips Set [SHOP](#)

Blade high alloy CVM steel, hard chrome finished.

Item No.	Slotted:	lbs.
26199	1.0, 2.0 x 40mm,	.55
	3.0 x 50mm, 4.0 x 60mm	
	Phillips: 000, 00 x 40mm,	
	0 x 50mm, 1 x 60mm	



26192 5 Piece Precision Slotted & Phillips Set [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26192	2.5, 3.0, 4.0 x 150mm	.44
	Phillips:	
	0, 1 x 150mm	

Wiha Pozidriv® Precision Series



[SHOP](#)

262 Pozidriv® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item	+	+	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26205	0	50	2.0	3.0	.12	145	5.7	.03	10
26210	1	60	2.4	4.0	.16	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Metric Precision Series



[SHOP](#)

263 Metric Metric Hex Driver, With Precision Handle

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
26307	.7	.028	40	1.6	120	4.7	.02	10	
26309	.9	.035	40	1.6	120	4.7	.02	10	
26313	1.3	.050	40	1.6	120	4.7	.02	10	
26315	1.5	-	50	2.0	145	5.7	.03	10	
26320	2.0	5/64	50	2.0	145	5.7	.03	10	
26325	2.5	-	60	2.4	170	6.7	.04	10	
26330	3.0	-	60	2.4	170	6.7	.04	10	
26340	4.0	-	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch Precision Series



[SHOP](#)

263 Inch Inch Hex Driver, With Precision Handle

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex
No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.	
26307	0.028	0.7	40	1.6	120	4.7	.02	10	
26309	0.035	0.9	40	1.6	120	4.7	.02	10	
26313	0.05	1.3	40	1.6	120	4.7	.02	10	
26316	1/16	-	50	2.0	145	5.7	.03	10	
26320	5/64	2.0	50	2.0	145	5.7	.03	10	
26323	3/32	-	60	2.4	170	6.7	.04	10	
26327	7/64	-	60	2.4	170	6.7	.04	10	
26331	1/8	-	60	2.4	170	6.7	.04	10	
26333	9/64	-	60	2.4	170	6.7	.05	10	
26336	5/32	60	2.4	170	6.7	.05	10		

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26391 8 Pc. Precision Hex Driver Set - Inch Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26391	.028, .035, .050 x 1.6"	.32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	



[SHOP](#)

26390 7 Pc. Precision Hex Driver Set - Metric Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Metric:	lbs.
26390	.7, .9, 1.3 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	




[SHOP](#)

26399 8 Piece Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Hex Inch:	lbs.
26399	.028, .035, .050 x 1.6"	.55
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	

Wiha Ball End Precision Series



SHOP

264 Inch Ball End Hex Inch Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	0.05	40	1.6	120	4.7	.02	10
26416	1/16	50	2.0	145	5.7	.03	10
26419	5/64	50	2.0	145	5.7	.03	10
26423	3/32	50	2.0	145	5.7	.03	10
26427	7/64	60	2.4	170	6.7	.03	10
26431	1/8	60	2.4	170	6.7	.05	10
26436	9/64	60	2.4	170	6.7	.05	10
26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	1.3	.050	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item No.	Ball End Hex Metric:	lbs.
26491	1.3 x 40mm	.25
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



26490 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26490	.050 x 1.6,	.28
	1/16, 5/64, 3/32 x 2.0,	
	7/64, 1/8, 9/64,	
	5/32 x 2.4"	

SHOP



In canvas storage pouch

SHOP

26499 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Ball End Hex Inch:	lbs.
26499	.050 x 1.6", 1/16, 5/64, 3/32 x 2.0"	.62
	7/64, 1/8, 9/64, 5/32 x 2.4"	

Wiha Torque Cable Keys



SHOP

286 Torque Cable Key For Threaded Hex Connectors

For torque controlled fastening of cable plug connectors with Hex heads. Used with Wiha-TorqueControl Screwdrivers.

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28620	8mm	4.0	78	218	1.0	1	.06
28622	9mm	4.0	78	218	1.0	1	.06
28624	11mm	4.0	78	218	1.5	1	.06
28626	12mm	4.0	78	218	1.5	1	.06
28627	13mm	4.0	78	218	1.5	1	.06
28629	14mm	4.0	78	218	1.5	1	.06
28632	17mm	4.0	78	218	1.5	1	.06
28633	18mm	4.0	78	218	1.5	1	.06
28637	22mm	4.0	90	233	2.0	1	.10
28638	24mm	4.0	90	233	2.0	1	.10

28644 Torque Cable Key For Threaded Hex Connectors - Inch

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28644	1/2"	4.0	78	218	1.5	1	.06

+/-6% accuracy tolerance
Certificate of calibration



SHOP

28552 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Newton Meter Scale	Increments	mm	lbs.	pkg.
28552	0.8 - 2.0Nm	.10 Nm	126 - 131	.45	1

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle

Metric sizes. Blade CVM steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate

SHOP



265 Inch Inch Nut Driver With Precision Handle

Inch sizes. Blade CVM steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate

SHOP



26591 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel.

Item No.	Inch Nut Drivers:	lbs.
26591	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.47

SHOP



26590 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel.

Item No.	Metric Nut Drivers:	lbs.
26590	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.48

SHOP

26592 Set 7 Pcs. Nut Driver Metric

Item No. 26592 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm



26599 8 Pc. Precision Nut Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Inch Nut Drivers:	lbs.
26599	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

SHOP



26598 8 Pc. Precision Nut Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Metric Nut Drivers:	lbs.
26598	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.70

SHOP

Wiha Precision Screwdriver Set



92191 51 Piece Precision Tool Tray Set

Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted:	lbs.
92191	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0	
	Phillips: #000, #00, #0, #1	
	Torx: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	
lbs. 3.14	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0	
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	
	26810 Chip Lifter	

SHOP

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

[SHOP](#)

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10
26702	T2	40	1.6	120	4.7	.02	10
26703	T3	40	1.6	120	4.7	.02	10
26704	T4	40	1.6	120	4.7	.02	10
26705	T5	40	1.6	120	4.7	.02	10
26706	T6	40	1.6	120	4.7	.02	10
26707	T7	40	1.6	120	4.7	.02	10
26708	T8	40	1.6	120	4.7	.03	10
26709	T9	50	2.0	145	5.7	.03	10
26710	T10	50	2.0	145	5.7	.03	10
26715	T15	60	2.4	170	6.7	.05	10
26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Pentalobe IPR Precision Series

Wiha Pentalobe IPR drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air



- Exact fit precision machined Pentalobe tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 Pentalobe IPR Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

[SHOP](#)

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	P1	40	1.6	120	4.7	.01	1
26762	P2	40	1.6	120	4.7	.02	1
26763	P3	40	1.6	120	4.7	.02	1
26764	P4	40	1.6	120	4.7	.02	1
26765	P5	40	1.6	120	4.7	.02	1
26766	P6	40	1.6	120	4.7	.02	1

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26790 6 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	TORX®:	lbs.
26790	T6, T7, T8 x 40mm	.30
	T9, T10 x 50mm	
	T15 x 60mm	

26791 Set 8 Pcs. TORX® Screwdriver Set

Item No. 26791 T1, T2, T3, T4, T5, T6, T7, T8



26799 8 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. In canvas storage pouch

Item No.	TORX®:	lbs.
26799	T3, T4, T5, T6, T7, T8 x 40mm	.50
	T9 x T10 x 50mm	

[SHOP](#)



[SHOP](#)

26792 7 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	TORX®:	lbs.
26792	T5, T6, T7, T8 x 40mm	.33
	T9, T10 x 50mm	
	T15 x 60mm	



[SHOP](#)

26794 6 Pc. Precision Pentalobe IPR Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. Super hardened best wear resistance long life

Item No.	Pentalobe IPR Drivers:	lbs.
26794	P1, P2, P3, P4, P5, P6	.35

Wiha Precision Screwdriver Set



[SHOP](#)

92190 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92190	Phillips: #000, #00, #0, #1
	TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
lbs. 2.86	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes

CVM tool steel blade, hardened, hard chrome finish

Soft Grip Handle



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



260 Slotted Precision Screwdriver, With PicoFinish Handle

Blade CVM steel, hardened, hard chromed.

SHOP

Item No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3	10
26051	1.0	.04	40	1.6	134	5.3	10
26052	1.2	.05	40	1.6	134	5.3	10
26053	1.5	.06	40	1.6	134	5.3	10
26054	1.5	.06	60	2.4	154	6.1	10
26055	1.8	.07	40	1.6	134	5.3	10
26056	1.8	.07	60	2.4	154	6.1	10
26060	2.0	.08	40	1.6	140	5.5	10
26061	2.0	.08	60	2.4	160	6.3	10
26063	2.0	.08	100	3.9	200	7.9	10
26065	2.5	.09	50	2.0	150	5.9	10
26066	2.5	.09	75	3.0	175	6.9	10
26068	2.5	.09	100	3.9	200	7.9	10
26070	3.0	.13	50	2.0	150	5.9	10
26072	3.0	.13	100	3.9	200	7.9	10
26073	3.0	.13	150	5.9	250	9.8	10
26074	3.5	.14	60	2.4	160	6.3	10
26076	4.0	.16	60	2.4	160	6.3	10
26079	4.0	.16	100	3.9	200	7.9	10
26080	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26093 8 Pc. Slotted Precision Screwdriver Set, With Soft

PicoFinish Handle In storage pouch

Item No.		lbs.
26093	Slotted: .8, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



261 Phillips Precision Screwdriver, With Soft PicoFinish

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

SHOP

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26133	00	60	2.4	2.0	.08	154	6.1	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft

PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26193	Slotted: 1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch	pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Pico Soft Grip Screw Holding



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	TORX® :	lbs.
26793	T1, T2, T3, T4, T5, T6, T7, T8 x 40mm	.50



26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	TORX® :	lbs.
26796	T5, T6, T7, T8 x 40mm, T9, T10 x 50mm, T15, T20 x 60mm	.57



26798 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.	MagicSpring TORX®:	lbs.
26798	T6, T7, T8 x 40mm	.45
	T9, T10, T15 x 50mm	

Pico Soft Grip Precision Chip Lifter



26815 Soft PicoFinish Precision Chip Lifter

Blade chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	mm	mm	mm	mm	Inch	lbs	pkg.
26815	1	3.5	50	150	5.9	.03	1



91118 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Pico Soft Grip Hex Inch & Metric



[SHOP](#)

263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	pkg.
26341	0.028(0.7)	40	1.6	134	5.3	10
26343	0.035(0.9)	40	1.6	134	5.3	10
26345	0.05(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

[SHOP](#)

26392 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Inch:	lbs.
26392	.028, .035, .050 x 1.6"	
	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.24



[SHOP](#)

263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26341	.71(.028)	40	1.6	134	5.3	10
26343	.89(.035)	40	1.6	134	5.3	10
26345	1.27(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

[SHOP](#)

26393 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	lbs.
26393	.71, .89, 1.27 x 40mm	
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	.22

Pico Soft Grip Ball End Inch & Metric



[SHOP](#)

264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26493 7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Ball End Hex Inch:	lbs.
26493	1/16, 5/64, 3/32 x 2.0"	
	7/64, 1/8, 9/64, 5/32 x 2.4"	.27



[SHOP](#)

264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Nut Drivers Inch & Metric



SHOP

265 Inch Nut Drivers, With Precision Soft PicoFinish Handle
Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26571	3/32	2.4	60	6.3	160	10
26572	7/64	2.4	60	6.3	160	10
26573	1/8	2.4	60	6.3	160	10
26574	9/64	2.4	60	6.3	160	10
26575	5/32	2.4	60	6.3	160	10
26576	3/16	2.4	60	6.3	160	10
26577	7/32	2.4	60	6.3	160	10
26578	1/4	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

Item No.	Weight
26593 Inch Nut Drivers: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	lbs. .72



SHOP

91118 Rugged Polyester Canvas Storage Pouch
Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	Weight	Quantity
91118	14 1/2" W x 7 3/4" L	.13	1



SHOP

265 Metric Nut Drivers, With Precision PicoFinish Handle
Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26579	1.5	60	2.4	160	6.3	10
26581	2.0	60	2.4	160	6.3	10
26582	2.5	60	2.4	160	6.3	10
26583	3.0	60	2.4	160	6.3	10
26584	3.5	60	2.4	160	6.3	10
26585	4.0	60	2.4	160	6.3	10
26586	4.5	60	2.4	160	6.3	10
26587	5.0	60	2.4	160	6.3	10
26588	5.5	60	2.4	160	6.3	10
26589	6.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

Item No.	Weight
26596 Metric Nut Drivers: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	lbs. .66

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets

(+) to Magnetize
(-) to Demagnetize

40010 Magnetizer and Demagnetizer
To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

SHOP

Application:
To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item No.	Dimensions	Weight
40010	2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha Protturn Precision Screwdrivers



pro turn

Rotating cap for precise turning and control with fingertip

Tapered handle allows rapid rotation

Molded on ergonomic handle

Tip precision ground for exact fit

Blade CVM steel, black finish blades



[SHOP](#)

95190 6 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted: mm	mm	Phillips: Size	mm	lbs.
95190	1.5mm	40	00	40	.27
	2.5mm	50	0	50	
	3.5mm	60	1	60	



[SHOP](#)

65090 9 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted: mm	mm	mm	mm	Phillips: Size	mm
65090	1.5	40	3.0	60	00	40
	2.0	50	3.5	60	0	50
	2.5	60	4.0	60	1	60



[SHOP](#)

96800 Protturn Precision Chip Lifter

Molded on precision handle. Blade chrome-vanadium-molybdenum tool steel, hardened, black finish.

Item No.	Size	mm	mm	Inch	lbs.	pkg.
96800	1.0	50	145	5.7	.07	1



[SHOP](#)

62990 5 Piece Slotted & Phillips Pocket Pack Set Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

62990 Set includes the following blades:

- ↓ ● Slotted: 1.5, 2.0, 3.0, 4.0
- ⊕ Phillips: #000, #00, #0, #1
- ↔ lbs. .15




[SHOP](#)

62993 9 Piece Slotted/Phillips/TORX® Work Station Set Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.

62993 Set includes the following blades:

- ↓ ● Slotted: 1.5, 2.0, 3.0, 4.0
- ⊕ Phillips: #000, #00, #0, #1
- ⊛ TORX®: T6, T7, T8, T9, T10, T15, T20
- ↔ lbs. .64



[SHOP](#)

62995 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack Wiha Protturn precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

62995 Set includes the following blades:

- ↓ ● Slotted: 1.5, 2.0, 3.0, 4.0
- ⊕ Phillips: #000, #00, #0, #1
- ⊛ TORX®: T6, T7, T8, T9, T10, T15, T20
- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- ↔ lbs. .87

62994 14 Piece Inch/Metric Ball End Hex Work Tech Pack

Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- ↔ lbs. .66 Set in canvas storage pouch

[SHOP](#)

Wiha SYSTEM 4 Precision Handles and Blades

Rotating Cap
for precise turning & control

Tapered Handle
allows rapid rotation, requires less clearance

Blades
chrome-vanadium-molybdenum steel, hardened, hard chromed. On 4mm Hex shafts

Tips
Exact fit, precision machined

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item	⊖	⊕	⊖	⊕	⊖
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item	⊖	⊕	⊖	⊕	⊖
No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item	⊖	⊕	⊖	⊕	⊖
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Slotted Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item	⊖	⊕	⊖	⊕	⊖
No.	mm	mm	mm	Inch	lbs.
26903	1.5 + 3.0	120	4.7	.05	
26904	2.0 + 3.5	120	4.7	.05	
26905	2.5 + 4.0	120	4.7	.06	



26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

Advantages:

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item	⊖	⊕	⊖	⊕	⊖
No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



269 SYSTEM 4 Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item	⊖	⊕	⊖	⊕	⊖
No.	Size	Size	mm	Inch	lbs.
26911	000 + 00	120	4.7	.03	
26912	0 + 1	120	4.7	.03	



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed.

Item	⊖	⊕	⊖	⊕	⊖
No.	mm	Size	mm	Inch	lbs.
26971	1.5+ 000	120	4.7	.05	
26972	2.0+ 00	120	4.7	.05	
26973	3.0+ 0	120	4.7	.05	
26974	4.0+ 1	120	4.7	.06	



269 SYSTEM 4 Pozidriv Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item	⊖	⊕	⊖	⊕	⊖
No.	Size	Size	mm	Inch	lbs.
26922	0 + 1	120	4.7	.03	



269 SYS 4 TORX Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item	⊖	⊕	⊖	⊕	⊖
No.	Size	Size	lbs.		
26951	T6 + T8		.03		
26952	T7 + T9		.03		
26953	T10 + T15		.03		
26954	T15 + T20		.03		



269 SYSTEM 4 TORX Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item	⊖	⊕	⊖	⊕	⊖
No.	Size	Size	lbs.		
26955	T3		.03		
26956	T4		.03		
26957	T5		.03		

Wiha SYSTEM 4 Precision Blades



269 SYSTEM 4 Inch Hex Sizes, [SHOP](#)

Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.


Item				
No.	Inch	mm	Inch	lbs.
26921	.50	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



269 SYSTEM 4 Metric Hex Sizes, [SHOP](#)

Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.


Item				
No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26915	1.3	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



280 SYSTEM 4 Inch Ball End Hex [SHOP](#)

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06



280 SYSTEM 4 Metric Ball End Hex [SHOP](#)

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



269 SYS 4 Metric Ball End & Standard Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex. [SHOP](#)

Item					
No.	mm	mm	mm	Inch	lbs.
26932	1.3 + 1.3	120	4.7	.05	
26933	1.5 + 1.5	120	4.7	.05	
26934	2.0 + 2.0	120	4.7	.06	
26935	2.5 + 2.5	120	4.7	.06	
26936	3.0 + 3.0	120	4.7	.06	
26937	4.0 + 4.0	120	4.7	.06	



269 SYSTEM 4 Nut Driver Inch, [SHOP](#)

Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item				
No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



269 SYSTEM 4 Nut Driver Metric, [SHOP](#)






Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item				
No.	mm	mm	Inch	lbs.
26940	1.5 + 1.8	.12	.12	.03
26941	2.0 + 2.5	.16	.16	.03
26938	1.5 -	.11	.11	.04
26939	1.8 -	.12	.12	.04
26949	2.0 -	.13	.13	.06
26950	2.5 -	.16	.16	.06
26942	3.0 -	.20	.20	.06
26943	3.2 -	.20	.20	.06
26944	3.5 -	.22	.24	.06
26945	4.0 -	.22	.24	.06
26946	4.5 -	.25	.28	.06
26947	5.0 -	.27	.28	.06
26948	5.5 -	.30	.32	.06

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools






26961 ESD Safe Dissipative Precision Drive-Loc Handle
Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08






269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item			
No.	mm	mm	lbs.
26958	1.5	+ 3.0	.02
26959	2.0	+ 3.5	.02
26960	2.5	+ 4.0	.02






269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item			
No.	Size	Size	lbs.
26975	000	+ 00	.02
26976	0	+ 1	.02






269 SYSTEM 4 TORX Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item			
No.	Size	Size	lbs.
26977	T1	+ T2	.02
26978	T3	+ T4	.02
26979	T5	+ T6	.02
26980	T6	+ T8	.02
26981	T7	+ T9	.02
26982	T10	+ T15	.02






280 SYSTEM 4 Pozidriv Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item			
No.	Size	Size	lbs.
28002	0	+ 1	.02






280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28003	1.3	+ 1.3	.02
28004	1.5	+ 1.5	.02
28005	2.0	+ 2.0	.02
28006	2.5	+ 2.5	.02
28007	3.0	+ 3.0	.02
28008	4.0	+ 4.0	.02




280 SYSTEM 4 Metric Nut Drivers Drive-Loc Reversible Locking Blades
On 4mm Hex blades


Item			
No.	mm	mm	lbs.
28009	1.5	+ 1.8	.02
28010	2.0	+ 2.5	.02
28011	3.0	+ 3.0	.02
28012	3.2	+ 3.2	.02
28013	3.5	+ 3.5	.02
28014	4.0	+ 4.0	.02
28015	4.5	+ 4.5	.02
28016	5.0	+ 5.0	.02
28017	5.5	+ 5.5	.02



26985 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set
In storage pouch

Item No.	Item
26985	ESD Safe Drive-Loc Handle
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
lbs. .44	Phillips: 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15

Wiha Canvas Pouch Sets




SHOP

Canvas Pouch




26990 4 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 3 Wiha interchangeable blades.

26990 Set includes the following blades:

- **Slotted:** 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 00, 0, 1

↔ lbs. .17




SHOP

Canvas Pouch




26991 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades. In canvas pouch.

26991 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1

↔ lbs. .29




SHOP

Canvas Pouch



26992 17 Pc. Slotted, Phillips and Ball End Hex Metric/Inch Precision Interchangeable Blade Set


Wiha ESD Safe  precision collet lock handle and 15 Wiha interchangeable blades.

26992 Set include the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- **Ball End Hex Inch:** .050, 1/16, 5/64, 7/64, 3/32, 1/8"
- **Ball End Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm

ESD Safe Precision Chip Lifter

↔ lbs. .63




SHOP

Canvas Pouch



28080 22 Piece Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 20 Wiha interchangeable blades.


28080 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊛ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- **Hex:** .028, .035
- **Ball Hex:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

ESD Safe Precision Chip Lifter

↔ lbs. .33

ESD Technicians Kit
Precision Screwdrivers & Tweezers




SHOP



Canvas Pouch



44590 12 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.

44590 Set includes the following blades:


- **Slotted:** 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⊛ **TORX®:** T6, T7, T8, T9, T10, T15

ESD Safe Precision Tweezers:

- 44501 Fine Point - AA SA
- 44509 Extra Fine Point - 5 SA
- 44505 Flat and Blunt - 2a SA
- 44510 Curved Fine Point - 7a SA


↔ lbs. .60

Slotted, Phillips, TORX® Set In Steel Box



SHOP


28094 11 Piece Slotted, Phillips & TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 10 Wiha interchangeable blades.

28094 Set includes the following blades:


- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊛ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

↔ lbs. 1.51



SHOP

26993 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.


26993 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1

↔ lbs. .87



ESD Anti-Static Vinyl Pouch Set



SHOP

28091 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.

28091 Set includes the following blades:

↓ ● **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

↔ **lbs.** .25



ESD Safe



SHOP

28097 9 Piece Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha Interchangeable blades.

28097 Set includes the following blades:

↓ ● **Slotted:** 1.5, 2.0, 3.0, 4.0mm


⊕ **Phillips:** 000, 00, 0, 1

⊗ **TORX®:** T5, T6, T7, T8, T9, T10, T15

↔ **lbs.** .33



ESD Safe



SHOP

28084 13 Piece Slotted, Phillips and Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 12 Wiha interchangeable blades.

28084 Set includes the following blades:

↓ ● **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

● **Ball End Hex Inch:** .050, 1/16,

5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↔ **lbs.** .44



ESD Safe



SHOP

28087 8 Piece TORX® Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

28087 Set includes the following blades:

⊗ **TORX® Sizes on standard blades:** T3, T4, T5


⊗ **TORX® Sizes on reversible blades:**

T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .29



ESD Safe



SHOP

26996 5 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 4 Wiha interchangeable blades.

26996 ⊕ **Phillips:** 000, 00, 0, 1

↓ ● **Slotted:** 1.5, 2.0, 3.0, 3.5mm

↔ **lbs.** .54



SHOP

26997 9 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha Interchangeable blades.

26997 ⊕ **Phillips:** 000, 00, 0, 1

↓ ● **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊗ **TORX®:** T6, T7, T8, T9, T10, T15

↔ **lbs.** .64



SHOP

26999 9 Piece Hex Metric Precision Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26999 ● **Hex Metric:** .7, .9, 1.3, 1.5,

2.0, 2.5, 3.0, 4.0mm

↔ **lbs.** .66



SHOP

26989 9 Piece Hex Inch Precision Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26989 ● **Hex Inch:** .050, 1/16, 5/64, 3/32,

7/64, 1/8, 9/64, 5/32"

↔ **lbs.** .64



SHOP

26995 5 Piece TORX® Precision Blade Set

Wiha ESD Safe precision collet lock handle and 4 interchangeable blades.

26995 ⊗ **TORX®:** T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .52



SHOP

26987 8 Piece TORX® Precision Blade Set

Wiha ESD Safe precision collet lock handle and 7 interchangeable blades.

26987 Set includes the following blades:

⊗ **TORX® standard blades:** T3, T4, T5

⊗ **TORX® reversible blades:**

T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .62



Wiha SYSTEM 4 Micro Bits

SYSTEM 4 Handles & Micro Bits



Rotating Cap
for precise turning and control






Tips
Exact fit, precision machined

Tapered Handle
allows rapid rotation, requires less clearance

Bits High alloy CVM steel, hardened

Use bits directly in handle or with 4" bit extension

75800 SYSTEM 4 Standard Precision Bit
Handle Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
75800	4.0	.1574	14.0	.55	.06

75801 SYSTEM 4 ESD Safe  Dissipative Precision Bit Handle 110mm/4.3" OAL






Advantages:

- For working in ESD sensitive applications Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits






Item					
No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

SYSTEM 4 Micro Bit Extension Blades






75900 Extension Blade For SYS 4 Micro Bits
Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4mm bits.

Item					
No.	Size	mm	mm	lbs.	
75900	4.0	100	4.0	.07	






75901 Magnetic Bit Extension Blade For SYS 4 Micro Bits
Shaft CVM steel, hardened, corrosion protected. Magnetic bit holder.

Item					
No.	Size	mm	mm	lbs.	
75901	4.0	100	4.0	.04	






750 SYSTEM 4 Slotted Micro Bits
CVM steel, hardened, on 4 mm hex stock.

Item					
No.	mm	mm	Inch	lbs.	
75008	0.8	28	1.1	.01	
75012	1.2	28	1.1	.01	
75015	1.5	28	1.1	.01	
75018	1.8	28	1.1	.01	
75020	2.0	28	1.1	.01	
75025	2.5	28	1.1	.01	
75030	3.0	28	1.1	.01	
75035	3.5	28	1.1	.01	
75040	4.0	28	1.1	.01	






751 SYSTEM 4 Phillips Micro Bits
CVM steel, hardened, on 4 mm hex stock.

Item					
No.	Size	mm	Inch	lbs.	
75105	000	28	1.1	.01	
75110	00	28	1.1	.01	
75115	0	28	1.1	.01	
75120	1	28	1.1	.01	






753 SYSTEM 4 Hex Metric Micro Bits
CVM steel, hardened, on 4 mm hex stock.

Item					
No.	mm	mm	Inch	lbs.	
75307	.7	28	1.1	.01	
75309	.9	28	1.1	.01	
75313	1.3	28	1.1	.01	
75315	1.5	28	1.1	.01	
75320	2.0	28	1.1	.01	
75325	2.5	28	1.1	.01	
75330	3.0	28	1.1	.01	
75340	4.0	28	1.1	.01	






753 SYSTEM 4 Hex Inch Micro Bits
CVM steel, hardened, on 4 mm hex stock.

Item					
No.	Inch	mm	Inch	lbs.	
75307	.028	28	1.1	.01	
75309	.035	28	1.1	.01	
75313	.050	28	1.1	.01	
75350	1/16	28	1.1	.01	
75352	5/64	28	1.1	.01	
75354	3/32	28	1.1	.01	
75356	7/64	28	1.1	.01	
75358	1/8	28	1.1	.01	
75360	9/64	28	1.1	.01	
75340	5/32	28	1.1	.01	






757 SYSTEM 4 TORX® Micro Bits
CVM steel, hardened, on 4 mm stock.

Item					
No.	Size	mm	Inch	lbs.	
75703	T3	28	1.1	.01	
75704	T4	28	1.1	.01	
75705	T5	28	1.1	.01	
75706	T6	28	1.1	.01	
75707	T7	28	1.1	.01	
75708	T8	28	1.1	.01	
75709	T9	28	1.1	.01	
75710	T10	28	1.1	.01	
75715	T15	28	1.1	.01	
75720	T20	28	1.1	.01	






757 SYSTEM 4 Security TORX® Micro Bits
CVM steel, hardened, on 4 mm stock.

Item					
No.	Size	mm	Inch	lbs.	
75727	T7s	28	1.1	.01	
75728	T8s	28	1.1	.01	
75729	T9s	28	1.1	.01	
75735	T10s	28	1.1	.01	
75739	T15s	28	1.1	.01	
75742	T20s	28	1.1	.01	

753 SYS 4 Metric Security Hex Micro Bits
CVM steel, hardened, on 4 mm hex stock.






Item					
No.	mm	mm	Inch	lbs.	
75322	2.0	28	1.1	.01	
75327	2.5	28	1.1	.01	
75332	3.0	28	1.1	.01	
75342	4.0	28	1.1	.01	

753 SYS 4 Security Hex Inch Micro Bits


Item					
No.	Inch	mm	Inch	lbs.	
75362	5/64	28	1.1	.01	
75364	3/32	28	1.1	.01	
75366	7/64	28	1.1	.01	
75368	1/8	28	1.1	.01	
75370	9/64	28	1.1	.01	
75372	5/32	28	1.1	.01	

Micro Bit 1/4" Drive Power Tool Adapter


75902 Micro Bit 1/4" Drive Power Tool Adapter
Shaft CVM steel, hardened, corrosion protected. For 4mm bits. 2.3" OAL


Item					
No.	Size	mm	mm	lbs.	
75902	4.0	60	4.0	.07	

Wiha SYSTEM 4 Micro Bits


NEW 

757 SYSTEM 4 Pentalobe IPR Micro Bits
CVM steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.	
75743	P1	28	1.1	.01	
75744	P2	28	1.1	.01	
75745	P3	28	1.1	.01	
75746	P4	28	1.1	.01	
75747	P5	28	1.1	.01	
75748	P6	28	1.1	.01	

NEW 

758 SYSTEM 4 Metric & Inch Nut Setters
CVM steel, hardened, on 4 mm hex stock.

Item No.	Metric	mm	mm	Inch	lbs.	
75820	2.0	30	1.2	.01		
75821	2.5	30	1.2	.01		
75822	3.0	30	1.2	.01		
75823	3.5	30	1.2	.01		
75824	4.0	30	1.2	.01		
75825	4.5	30	1.2	.01		
75826	5.0	30	1.2	.01		
75827	5.5	30	1.2	.01		

Item No.	Inch	mm	mm	Inch	lbs.
75810	5/64	30	1.2	.01	
75811	3/32	30	1.2	.01	
75812	7/64	30	1.2	.01	
75813	1/8	30	1.2	.01	
75814	9/64	30	1.2	.01	
75815	5/32	30	1.2	.01	
75816	3/16	30	1.2	.01	
75817	7/32	30	1.2	.01	

1/4" Drive Micro Bit Tool Adapters

#75802  #75803 

75802 Micro Bit To 1/4" Drive Insert Bit Adapter magnets to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.	
75802	4.0	25	4.0	.01	

75803 Long Micro Bit To 1/4" Drive Insert Bit Adapter Uses spring clip non-magnetic to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.	
75803	4.0	38	4.0	.02	

Micro Bit Handle Storage Sets

Micro precision bits on 4mm hex drive

Storage handle

Bits hardened for extreme durability

Bits of exclusive CRM-72 tool steel



NEW 

75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.
Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item No.	Set with Micro Bit Precision Storage Handle
75981	↓ ▮ Slotted: 1.2, 1.5, 2.0mm ⊕ Phillips: 000, 00, 0 ↵ lbs. .08

NEW 

75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.
Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item	Set with Micro Bit Precision Storage Handle
75985	⊕ TORX® T3, T4, T5, T6, T7, T8 ↵ lbs. .08

NEW 

75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.
Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item	Set with Micro Bit Precision Storage Handle
75983	⬠ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8" ↵ lbs. .08

Protturn Precision Power Driver Bit Set

75989 SYSTEM 4 Protturn Precision Power Screwdriver Set With Micro Bits, 40 Pcs. In Storage Box. Includes Wiha precision handle, Protturn Power Screwdriver & 38 interchangeable Micro bits.

Item	Set with System 4 Standard Precision Handle
75989	Set includes the following bits: ⬮ Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm ⊕ Phillips: 000, 00, 0, 1 ⊕ TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15 ⬠ Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm ⬠ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"








Wiha SYS 4 Micro Bits & Compact Bit Sets

75999 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension & 24 interchangeable bits.



Item No. Combination Bit Set

75999 Set with Standard Precision Handle

Set includes the following bits:

- † **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⬢ **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension**



26 Pc. Set

75792 SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box.



Sets includes Wiha precision handle, bit extension and 9 Wiha interchangeable bits.

Item SYSTEM 4 TORX® Bit Set

No. Set with ESD Safe Precision Handle

75792 and the following bits:

- ⊛ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- **100mm Bit Extension**



lbs. .54



11 Pc. Set

75395 SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension and 16 Wiha interchangeable bits.



Item No. Combination Bit Set

75395 Set with Standard Precision Handle


Includes the following bits:

- ⬢ **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension**



18 Pc. Set

759 sets SYSTEM 4 Slotted/Phillips/Hex Inch/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension and 25 Wiha interchangeable bits.



Item Handle Options for SYSTEM 4

No. Combination Bit Sets

75991 Set with Standard Precision Handle

75992 Set with ESD Safe Precision Handle

Set includes the following bits:

- † **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊛ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension**




lbs. .64



27 Pc. Set

75996 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box. Includes Wiha precision handle, bit extension & 38 interchangeable bits.




Item SYSTEM 4

No. Combination Bit Set

75996 Set with ESD Safe Precision Handle


Set includes the following bits:

- † **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊛ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬢ **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ **Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension**



40 Pc. Set

75994 SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.



Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item SYSTEM 4

No. Combination Bit Set

75994 Set with ESD Safe Precision Handle

Set includes the following bits:

- † **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊛ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬢ **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **100mm Bit Extension**



lbs. .64



27 Pc. Set

Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension


Rotation cap

Light weight & compact

Handle tapered for precise control

Bits hardened for extreme durability

Surface resistance of handles is 10⁶ - 10⁹ Ohms



75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.



Item No. Combination Bit Set

75093 Set with ESD Safe Precision Handle

- ↓ ● **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⊗ **TORX®:** T6, T7, T8, T9, T10, T15, T20
- **100mm Bit Extension**

↔ lbs. .17

[SHOP](#)

75094 SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.


Item No. Combination Bit Set

75094 Set with ESD Safe Precision Handle

- ↓ ● **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⬢ **Hex Inch:** .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
- **100mm Bit Extension**

↔ lbs. .17

[SHOP](#)



75095 SYSTEM 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.


Item No. Combination Bit Set

75095 Set with ESD Safe Precision Handle

- ↓ ● **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⬢ **Hex Metric:** .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **100mm Bit Extension**

↔ lbs. .17

[SHOP](#)



75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.


Item No. Combination Bit Set

75096 Set with ESD Safe Precision Handle


- ⬢ **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⬢ **Hex Metric:** .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **100mm Bit Extension**

↔ lbs. .17

[SHOP](#)



SYS 4 Interchangeable Bit Sets



75990 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Canvas Pouch. Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item No. SYSTEM 4 Combination Bit Set


No. Set with ESD Safe Precision Handle

75990 Set includes the following bits:


- ↓ ● **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬢ **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ **Hex Inch:** .028(.7), .035(.9), .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension**

↔ lbs. .65

[SHOP](#)



40 Pc. Set



75965 SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pieces In Storage Box. Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth ratchet & 62 interchangeable micro bits.

Item No. With ESD Precision Handle, 1/4" Ratchet, Micro Bit Extension


75965 Set includes the following micro bits:

- ↓ ● **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- ⬢ **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **Nut Drivers Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- **Nut Drivers Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- ⊛ **Pentalobe:** P1, P2, P3, P4, P5, P6

Magnetic 1/4" to 4mm Adapter

↔ lbs. 1.16

[SHOP](#)





Wiha Precision Electronic Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.

C70 tool steel HR60 hardness

Glare free black finish

Precision ground cutting edges for smooth cuts



The Comfortable Precision Pliers & Cutters




Velvet soft ergonomically designed multi component handle

Lay-on, riveted precision joint

Light weight design for maximum user comfort in production work

Electronic Diagonal Cutters



Full Flush


56818 Precision Electronic Diagonal Cutters, Wide Pointed Head
Cutting edge - full flush. With return spring. C70 special tool steel.

For an absolutely flush cut of copper wire.

#56818	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.22

[SHOP](#)

Electronic Diagonal Cutters



Semi Flush


56815 Precision Electronic Diagonal Cutters, Wide Pointed Head
Cutting edge - semi flush. With return spring. C70 special tool steel.

Universal small diagonal cutter for cutting copper wires.

Item No.	mm	Inch	Cut Capacity	Medium Hard Wire	Pkg.	lbs.
#56815	138	5.5	2.0mm/12AWG	0.8	1	.23

[SHOP](#)

Electronic Diagonal Cutters



Full Flush

Wire Holding Spring


56825 Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring Wide, Pointed head. Cutting edge - full flush.

With return spring & fixture for holding ends of wires that have been cut off. C70 special tool steel. For an absolutely flush cut of copper wire.

#56825	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.23

[SHOP](#)

Electronic Diagonal Cutters



Full Flush


56812 Precision Electronic Diagonal Cutters, Narrow Shape
Extra narrow, short head for working in particularly restricted spaces.

Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56812	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.8mm/20AWG	1	.19

[SHOP](#)

Electronic Diagonal Cutters



Full Flush




Wire Holding Spring

56813 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56813	mm	Inch	Cut Capacity	Pkg.	lbs.
	128	5.0	1.0mm/18AWG	1	.19



Electronic Oblique 48° Cutter




Full Flush

56833 Electronic Oblique 48° Cutter Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56833	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.22



Narrow Front Cutter/Long Nose Pliers




Full Flush

56830 Electronic Narrow 30° Front Cutter / Long Nose Pliers Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56830	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.6mm/22AWG	1	.19



Electronic Pointed Pliers




56801 Electronic Short Nose Precision Pliers Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

#56801	mm	Inch	Pkg.	lbs.
	138	5.5	1	.23



Electronic Stripping Pliers



56871 Electronic Stripping Pliers Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#56871	mm	Inch	Ø	AWG	Pkg.	lbs.
	180	7.0	0.81-2.59	20-10	1	.15



Flush Cutting Diagonal Cutters



- Flush cutting, with return spring



326 Flush Cutting Diagonal Cutters With Return Spring For Cutting Plastic DIN ISO 5749 Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 60 HRC. Special C70 tool steel hardened and tempered. For cutting plastic tie wraps & injection mold components. Soft vinyl grips.

Item	↔		↔		↔	↔
No.	mm	Inch	Pkg.	lbs.		
32607	127	5.0	1	.14		
32614	160	6.3	1	.36		



Professional Quality ESD Tweezers

ESD SAFE • STATIC DISSIPATIVE • HYPO ALLERGENIC COATED • TEXTURED GRIPPING SURFACE



Universal Fine Point Tweezers

Item No.	Description	wt.
44501	AA SA ESD - 130mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)


Fine Round Points For Assembly

Item No.	Description	wt.
44506	3 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)


Sturdy Long, Fine Round Points

Item No.	Description	wt.
44502	GG SA ESD - 130mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)


Fine Round Points Shorter

Item No.	Description	wt.
44507	3c SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)


Long Narrow Body Low Force

Item No.	Description	wt.
44503	SS SA ESD - 135mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)


Very Fine Points/Tapered To Tip

Item No.	Description	wt.
44508	4 SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)


Reduced Body To Medium Point

Item No.	Description	wt.
44504	2 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)


Extra Fine Points/Tapered To Tip

Item No.	Description	wt.
44509	5 SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)


Flat Round Tip Smooth Sides

Item No.	Description	wt.
44505	2a SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)


Curved Extra Fine Rounded Tips

Item No.	Description	wt.
44510	7a SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)

Wiha Professional Quality ESD Safe Tweezers



Holds 0.8 to 2mm Diameter

Item No.	Description	wt.
44511	50 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Narrow Rounded Tip Serrated, Guide Pin

Item No.	Description	wt.
44518	22 SA ESD - 150mm	.10

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Holds 1.5 to 3mm Diameter

Item No.	Description	wt.
44512	51 SA ESD - 130mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Universal Blunt Tip Serrated

Item No.	Description	wt.
44520	40 SA ESD - 145mm	.11

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Holds 3.5 to 7mm Diameter

Item No.	Description	wt.
44513	52 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



MicroTip 45° Hook 1x1x2mm

Item No.	Description	wt.
44521	12 SA-SMD ESD - 120mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Holds 6.5 to 10mm Diameter

Item No.	Description	wt.
44514	53 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



MicroTip For Chips Angled 1.6 x 1 x 1mm

Item No.	Description	wt.
44522	13 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Angled 3.5 to 7mm Diameter

Item No.	Description	wt.
44515	54 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Long Rounded to 1.0mm Wide No Serration

Item No.	Description	wt.
44523	PSF SA ESD - 125mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Wiha Professional Quality ESD Safe Tweezers



Flat Bent 35°, 3mm Diameter Grip

Item No.	Description	wt.
44524	58 SA-SMD ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



MicroTip Bent 30° 1.6mm

Item No.	Description	wt.
44529	8b SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Curved Extra Fine, 3mm Long Straight Tip

Item No.	Description	wt.
44525	7abb SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Flat Bent 35° - 2mm Diameter Grip Radius

Item No.	Description	wt.
44530	59 SA-SMD ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Narrow Body Low Force Bent 35° - 3mm Tip

Item No.	Description	wt.
44526	SSbb SA ESD - 140mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



ESD Safe General Purpose Fine Point

Item No.	Description	wt.
44531	1 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Angled Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	wt.
44527	5abb SA ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Heavy Duty Strong Tweezers Tapered To Strong Point

Item No.	Description	wt.
44532	00 SA ESD - 120mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	wt.
44528	5bb SA ESD - 107mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Angled & Slightly Bent With Extra Fine Tips

Item No.	Description	wt.
44533	7 SA ESD - 120mm	.08


Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)


Inspection Mirrors All Stainless Detachable & Boilable

Mirrors-Clean Room Quality

For Visual Checks and Fault
Finding at Inaccessible
Locations



Natural Finish,
Stainless Steel



Magnifying,
Boilable



40410 - #0

SHOP

Inspection Mirror - Stainless 10mm

Item No.	Description	↔	wt.
40410	#0 IM - 185mm	↔	.09




40422 - #4

SHOP

**Inspection Mirror - Stainless 22mm
Short Stem**

Item No.	Description	↔	wt.
40422	#4 IM - 175mm	↔	.10




40430 - #8

SHOP

Inspection Mirror - Stainless 30mm

Item No.	Description	↔	wt.
40430	#8 IM - 215mm	↔	.10



40414 - #0

SHOP

Inspection Mirror - Stainless 14mm

Item No.	Description	↔	wt.
40414	#0 IM - 200mm	↔	.09



40424 - #5

SHOP

**Inspection Mirror - Stainless
24mm Short Stem**

Item No.	Description	↔	wt.
40424	#5 IM - 175mm	↔	.10




SHOP

Disposable Inspection Mirrors

Item No.	Description	↔	wt.
40425	5 Pack - Plastic	↔	.10

Set includes: White disposable inspection mirror
#5 Inspection Mirrors - 24mm x 146mm



40420 - #3

SHOP

Inspection Mirror - Stainless 20mm

Item No.	Description	↔	wt.
40420	#3 IM - 205mm	↔	.09



40426 - #6

SHOP

Inspection Mirror - Stainless 26mm

Item No.	Description	↔	wt.
40426	#6 IM - 215mm	↔	.10

PortaCrimp Dies, Frame & Sets

PortaCrimp Tools

Parallel action mimics applicator type performance



One piece dies - held together to prevent mix up and loss



Tested to 50,000 Crimps

Reliable, ratchet controlled, ensures consistent and accurate crimp



- **Top Quality:** 50,000 cycle tested frame for longest life & consistent performance
- **Reliable:** Parallel, full cycle, ratchet controlled action ensures consistent accurate crimps
- **Easy To Use:** Designed to give user full visibility of the crimping process
- **Versatile:** Quickly and easily inter-change crimp dies on the job
- **No More Lost Die Parts!** Practical design uses guide pin to keeps die components together
- **Practical:** Pocket size dies are compact & easy to carry
- **Ergonomic:** Reduced effort ratchet assisted crimping use one hand or two with extended grip
- **Economical:** One tool frame to do the job of many, select only the dies you need

PortaCrimp Tool Sets



[SHOP](#)

43190 4 Piece PortaCrimp Die Set Electrical

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool frame &	lbs.	Pkg.
43190	43129, 43128, 43142	5.0	1



[SHOP](#)

43191 4 Piece PortaCrimp Die Set Industrial

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool Frame &	lbs.	Pkg.
43191	43129, 43127, 43147	5.0	1



[SHOP](#)

43192 4 Piece PortaCrimp Die Set Data Com Telco

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool Frame &	lbs.	Pkg.
43192	43144, 43136, 43132	5.0	1

PortaCrimp Tool Frame



[SHOP](#)

43149 PortaCrimp Tool Frame Parallel action frame gives better performance. Symmetrical pressure with equal force mimics applicator performance. One piece die held together to prevent mix up and loss.

Item No.	mm	Inch	lbs.	Pkg.
43149	234	9.75	1.1	1



Each die includes storage clip

PortaCrimp Dies


One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent and accurate with a parallel action stroke, good to 50,000 cycles.



SHOP





43128 PortaCrimp Die Set For Green & Yellow Insulated Terminals & Splices

Item				
No.	Crimps	AWG	lbs.	Pkg.
43128	4-6 & 0.1-0.4mm ²	26-22 & 12-10	1.2	1


SHOP



43129 PortaCrimp Die Set For Red & Blue Insulated Terminals & Splices Die set for 22-16 AWG (0.5 - 1.5mm).

Item				
No.	Crimps	AWG	lbs.	Pkg.
43129	1.5-2.5 & 0.5-1.5mm ²	22-16	1.2	1

SHOP



43142 PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices

Item				
No.	Crimps	AWG	lbs.	Pkg.
43142	4-6 & 0.5-2.5mm ²	12-10 & 22-14	1.2	1

SHOP




43137 PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices

Item				
No.	Crimps	Awg	lbs.	Pkg.
43137	2.5/1.5/0.75mm ²	14/16/20	1.2	1

SHOP



43139 PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices

Item				
No.	Crimps	AWG	lbs.	Pkg.
43139	10/6/4mm ²	8/10/12	1.2	1

SHOP



43127 PortaCrimp Wire Ferrules - Insulated & Non-Insulated

Die set for 24-8 AWG (0.25-10mm).

Item				
No.	Crimps	AWG	lbs.	Pkg.
43127	10/6/4/2.5/1-1.5/.25-.75mm ²	8-24	1.2	1

SHOP



43153 PortaCrimp Wire Ferrules - Insulated & Non-Insulated

Die set for 6-4 AWG (16-25mm).

Item				
No.	Crimps	AWG	lbs.	Pkg.
43153	25 & 16mm ²	6 & 4	1.2	1

SHOP



43154 PortaCrimp Wire Ferrules - Insulated & Non-Insulated

Die set for 2-1/0 AWG (35-50mm).

Item				
No.	Crimps	AWG	lbs.	Pkg.
43154	50 & 35mm ²	1/0 & 2	1.2	1

SHOP



43146 PortaCrimp Open Barrel, Non-Insulated Standard Commercial Terminals & Lugs - .250"(6.3mm) Push On Terminals

Item				
No.	Crimp	AWG	lbs.	Pkg.
43146	4-6/1.5-2.5/0.5-1.0mm ²	22-10	1.2	1

PortaCrimp Dies



One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent & accurate with a parallel action stroke, good to 50,000 cycles.



43150 PortaCrimp Open Barrel Non-Insulated Push On Terminals DIN 46247-1 .110" (2.8mm) Tab

Item	Crimps	AWG	lbs.	Pkg.
43150	0.5-1.0/0.25-0.5/0.1-0.25mm ²	26-18	1.2	1



43151 PortaCrimp Open Barrel Non-Insulated Push On Terminals DIN 46247-2 .187" (4.8mm) Tab

Item	Crimps	AWG	lbs.	Pkg.
43151	1.5-2.5 & 0.5-1.5mm ²	22-14	1.2	1



43143 PortaCrimp Weather Pack Open Barrel Terminals

Item	Crimps	AWG	lbs.	Pkg.
43143	3.0-0.5mm ²	12-20	1.2	1



43141 PortaCrimp Fiber Optic Die set for SMA, SMB, SFR, ST, SC fiber optic connectors (.178"/.213"/.151"/.128" hex)

Item	Crimps	lbs.	Pkg.
43141	4.52/5.41/3.84/3.25mm (.178/.213/.151/.128")	1.2	1



SHOP

43136 PortaCrimp Coaxial Network & Communications

Die set for RG58, RG59, RG62AU BNC/TNC Coaxial Connectors (.213"/.255"/.068" hex).

Item	Crimps	lbs.	Pkg.
43136	1.69/5.41/6.48mm (.213/.255/.068"hex)	1.2	1



SHOP

43138 PortaCrimp Coaxial Network & Communications, CATV, HDTV, Video Die set for RG6, Belden 1694A, Twinax BNC, CATV F Coaxial Connectors (.360"/.324" Hex).

Item	Crimps	lbs.	Pkg.
43138	9.14 & 8.23mm (.360"/.324")	1.2	1



SHOP

43140 PortaCrimp Coaxial Network & Communications

Die set for RG174, RG179 BNC/TNC Coaxil Connectors (.178"/.128"/.068" Hex, .028" (0.7mm)Sq).

Item	Crimps	lbs.	Pkg.
43140	4.52/3.25/1.69mm hex 0.7mm sq. (.178"/.128"/.068" hex, .028" sq.)	1.2	1



SHOP

43144 PortaCrimp Datacom/Telecom Modular Plug

Die set for 8-position 8-contact (RJ45).

Item No.	RJ45	lbs.	Pkg.
43144		1.2	1



SHOP

43132 PortaCrimp Datacom/Telecom Modular Plug

Die set for 6-position 6-contact (RJ11).

Item No.	RJ11	lbs.	Pkg.
43132		1.2	1

PortaCrimp Dies



One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent & accurate with a parallel action stroke, good to 50,000 cycles.



SHOP

43147 PortaCrimp Power Contacts

Item No.	Crimps	AWG	↕ lbs.	▬ Pkg.
43147	4 / .14-1 / 2.5 / 1.5mm	26-12	1.2	1



SHOP

43148 PortaCrimp Power Contacts

Item No.	Crimps	AWG	↕ lbs.	▬ Pkg.
43148	6 & 10mm	10-8	1.2	1



SHOP

43158 PortaCrimp Die set for heat shrink connectors:
0.5-1.5mm² red & 1.5-2.5mm² blue.

Item No.	Crimps	↕ lbs.	▬ Pkg.
43158	0.5-1.5mm ² (22-16AWG) red	1.2	1
43158	1.5-2.5mm ² (16-14 AWG) blue	1.2	1



SHOP

43162 PortaCrimp Die set for heat shrink connectors:
4-6mm² yellow & 0.32-0.75mm² green.

Item No.	Crimps	↕ lbs.	▬ Pkg.
43162	4-6mm ² (12-10AWG) yellow	1.2	1
43162	0.32-0.75mm ² (22-18AWG) green	1.2	1

Ratchet End Sleeve Crimper



5 die nests side entry crimp

SHOP

43612 Ratchet End Sleeve Crimper

Crimps Insulated & non-insulated end sleeves. 6 crimp positions range AWG 26-18, 18-16, 14, 12, 10, 8. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	↕ lbs.	▬ Pkg.
43612	220mm/8.6"	26-8	1.18	1

Ratchet Crimper For Standard Connectors



Crimp Profile

SHOP

43618 Ratchet Crimper For Standard Connectors

Crimps Insulated & non-insulated connectors. 3 crimp positions range AWG 20-18 red, 16-14 blue, 12-10 yellow. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	↕ lbs.	▬ Pkg.
43618	220mm/8.6"	20-10	1.06	1

Ratchet Crimper Push On Terminals



Crimp Profile "F"/"B"

SHOP

43624 Ratchet Crimper Push On Terminals

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 24-20, 20-18, 16-14, 12-10. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	↕ lbs.	▬ Pkg.
43624	220mm/8.6"	24-10	1.06	1

Ratchet Crimper For Eye Terminals



Self adjusting side entry crimp

SHOP

43643 Ratchet Crimper For Eye Terminals

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 26-22, 20-18, 12-10, 8-6. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	↕ lbs.	▬ Pkg.
43643	220mm/8.6"	26-6	1.02	1

Automatic Stripping Tool



Interchangeable stripping blade cassettes



Cuts & strips up to 10mm²/8 AWG - Strips PVC, THHW, TEFLON insulations



Ergonomic design with non-slip two component handles



Easy/snag free wire removal from tool - jaws stay open after strip

Self Adjusting Cut & Strip Tool



Straight Blade Cassette Stripping Range
0.02 - 10.0mm²



Cables: Conduit wire, Flex mains cable, Equipment wire, Flat modplug cable etc.

34-8 AWG

44212 Self Adjusting Cutting & Stripping Tool

Easily interchangeable stripping cassettes enables a wide range of insulations from PVC to PTFE. Light weight soft grip handle qualified for high volume production and portable/field usage.

Item No.	mm	Inch	AWG	Strip Dim.	lbs.	Pkg.
44212	191	7.5	34 - 8	0.02-10mm ²	.30	1

[SHOP](#)

Replaceable Cassette - Straight Blade



Straight Blade Cassette Stripping Range
0.02 - 10.0mm²



Straight
34-8 AWG

44214 Straight Blade Cassette, PVC Insulations

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

Item No.	AWG	Strip Range	lbs.	Pkg.
44214	34 - 8	0.02-10mm ²	.02	1

[SHOP](#)

Replaceable Cassette - 4-16mm²



Stripping Range
4-16mm²



Radius Blade
10-5 AWG

44269 Replaceable Cassette, 4-16mm Stripping Range

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.


Item No.	AWG	Strip Range	lbs.	Pkg.
44269	10 - 5	4-16mm ²	.02	1

[SHOP](#)

Replaceable Cassette - "V" Blade



"V" Blade Stripping Range
0.1 - 4mm²



VBC for PTFE
28-12 AWG


44213 Replaceable VBC or PTFE Cassette, "V" Blade

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

Item No.	AWG	Strip Range	lbs.	Pkg.
44213	28 - 12	0.1-4mm ²	.02	1

[SHOP](#)

Heavy Duty Adjustable Cable Stripper



Circular + Straight
Window Strip
Circular + Spiral Strip



Cables: Power cable. Multi-conductor control, fiber optic and copper trunk cables

44217 Jacket Stripper - Heavy Duty Adjustable

Professional stripping tool for cables of all insulations types. Positive locking positions for circular, lengthways and spiral strips. Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44217	168	6.6	4.5-40mm ²	0-4.5mm	.26	1

[SHOP](#)

Replacement Blade



Replacement cutting blades can be stored within the tool

44218 Replacement Blade For 44217 Stripper

Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

Item No.	Replacement Blade For	lbs.	Pkg.
44218	44217 Stripper	.01	1

[SHOP](#)

Precision Adjustable Stripping Tool



Replaceable Blade

Cables: Multi core cable, Modplug cable. Fiber optic cable etc.

44220 Precision Adjustable Stripping Tool

Professional stripping tool removes the outer cable jacket from signal, telephone, audiovisual, instrumentation and data transmission copper and fiber optic cables up to 11mm/0.43" diameter. The tool features a 9 position indexed blade height adjustment wheel ensuring accurate & repeatable stripping results. Simply squeeze together to open the stripping cavity - insert cable, rotate once and pull off the scrap insulation. Smooth, Lightweight and pocket size. No open blade, replacement blades encased within cassette.

Item No.	mm	Inch	Strip Range	Strip Range	lbs.	Pkg.
44220	90.5	3.6	2.5-11mm	.10"/0.43"	.06	1

[SHOP](#)

Replacement Blade



Replacement Blade

44221 Replacement Blade For 44220 Stripper

Stripping capacity of up to 2.5-11mm/0.43" diameter.

Item No.	Strip Range	Strip Dim.	lbs.	Pkg.
44221	2.5-11mm	11mm/0.43"	.01	1

[SHOP](#)

CATV/Satellite Stripper



Strips: RG59 & RG6 CATV coaxial cables

44206 CATV/Satellite Stripper

Quickly & simply strips RG59 & RG6 coaxial cables for CATV "F" type connectors giving industry standard strip lengths of 6.35mm/.25" for both the braid and the conductor. Patented spring-like action and built-in stop eliminates the need for manual adjustment for different cables.

Item No.	mm	Inch	Strip Length	lbs.	Pkg.
44206	83	3.3"	6.35mm/.25" Braid/Conductor	.05	1


[SHOP](#)



Adjustable Screw
For Precise Blade
Positioning




4 Cable V-blocks




Reversible
Cassettes
Long Life



Stepped Stripping
Depth For
Reduced Friction




Blue Cassette Stripping Tool Kit



2 Step

Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281


2 Step Red Cassette Stripping Tool Kit



2 Step

Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281


2 Step Yellow Cassette Stripping Tool Kit



2 Step

Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281

2 Step Replacement Stripping Cassettes



Cables: RG
58/59/62/174/180/
188/195/316/6/
Belden 8281

SHOP

Stripping Tool - No Cassette



44200 Cassette Hand-Stripping Tool Accurate & versatile coaxial hand-stripping tool. Holds all 2 or 3 step cassettes.

Item No.	lbs.	Pkg.
44200	.07	1

SHOP

44227 Blue Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44227	90	3.54	1.87-7.6mm	6.8mm	.09	1
			0.10"-0.30"	0.27"		

SHOP

44222 2 Step Red Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 6.0mm/.24". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44222	90	3.54	1.87-7.6mm	6.0mm	.09	1
			0.10"-0.30"	0.24"		

SHOP

44224 2 Step Yellow Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 12.0mm/.47". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44224	90	3.54	1.87-7.6mm	12.0mm	.09	1
			0.10"-0.30"	0.47"		

SHOP

442 2 Step Replacement Stripping Cassettes High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip Range	Strip Dim.	lbs.	Pkg.
44237	Blue	1.87-7.6mm	6.8(0.27")	.01	1
44238	Red	1.87-7.6mm	6.0(0.24")	.01	1
44239	Yellow	1.87-7.6mm	12.0(0.47")	.01	1
44240	Orange	1.87-7.6mm	9.2(0.36")	.01	1

Stripping Tool Set



44290 10 Piece Set, Cassette Hand-Stripping Tool Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Universal tool body accepts all cassettes.

Item No.	Set includes:	lbs.	Pkg.
44290	Stripping Tool, L-key, 4 Cable V-blocks & 4 Stripping Cassettes	.10	1

SHOP



Adjustable Screw For Precise Blade Positioning



4 Cable V-blocks




Reversible Cassettes Long Life



Stepped Stripping Depth For Reduce Friction

3 Step



	44251	44255	44259	44260	44261
	Brown	Green	White	Dk. Brown	Black
"C" mm	8.3	6.0	6.8	7.5	5.5
"B" mm	2.7	6.0	2.5	3.5	5.5
"A"	User adjusted				

3 Step Brown Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8282



44241 3 Step Brown Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44241	90	3.54	1.87-7.6mm	8.3mm(B)	.08	1
			0.10"-0.30"	2.7mm(C)		



3 Step Green Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8283



44245 3 Step Green Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44245	90	3.54	1.87-7.6mm	6.0mm(B)	.08	1
			0.10"-0.30"	6.0mm(C)		



3 Step White Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8284




44249 3 Step White Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44249	90	3.54	1.87-7.6mm	6.8mm(B)	.08	1
			0.10"-0.30"	2.5mm(C)		



3 Step Replacement Stripping Cassettes



Cables: RG
58/59/62/174/180/188/
195/316/6



442 3 Step Replacement Stripping Cassettes

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip B	Strip C	lbs.	Pkg.
44251	Brown	2.7mm/.11"	8.3mm/.33"	.01	1
44255	Green	6.0mm/.24"	6.0mm/.24"	.01	1
44259	White	2.5mm/.10"	6.8mm/.27"	.01	1
44260	Dk.Brown	3.5mm/.14"	7.5mm/.30"	.01	1
44261	Black	5.5mm/.22"	5.5mm/.22"	.01	1

Stripping Tool Set



44292 11 Piece Set, Cassette Hand-Stripping Tool

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Universal tool body accepts all cassettes.

Item No.	Set includes:	lbs.	Pkg.
44292	4 Cable V-blocks, 5 Stripping Cassettes	.11	1



Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
26000	4	26135	10	26449	12	26702	9	26920	16	26982	17
26001	4	26136	10	26455	12	26703	9	26921	16	26985	17
26008	4	26140	10	26457	12	26704	9	26922	15	26987	19
26010	4	26142	10	26459	12	26705	9	26923	16	26989	19
26012	4	26145	10	26461	12	26706	9	26924	16	26990	18
26015	4	26190	5	26463	12	26707	9	26925	16	26991	18
26018	4	26192	5	26465	12	26708	9	26926	16	26992	18
26020	4	26193	10	26467	12	26709	9	26927	16	26993	18
26022	4	26194	5	26490	7	26710	9	26928	16	26995	19
26023	4	26199	5	26491	7	26715	9	26929	16	26996	19
26025	4	26205	6	26493	12	26720	9	26932	16	26997	19
26027	4	26210	6	26499	7	26721	11	26933	16	26999	19
26028	4	26307	6	26510	8	26723	11	26934	16	28000	15
26030	4	26309	6	26515	8	26725	11	26935	16	28001	15
26032	4	26313	6	26520	8	26727	11	26936	16	28002	17
26033	4	26315	6	26523	8	26729	11	26937	16	28003	17
26034	4	26316	6	26525	8	26731	11	26938	16	28004	17
26035	4	26320	6	26527	8	26732	11	26939	16	28005	17
26040	4	26323	6	26530	8	26733	11	26940	16	28006	17
26041	4	26325	6	26531	8	26735	11	26941	16	28007	17
26042	4	26327	6	26532	8	26736	11	26942	16	28008	17
26050	10	26330	6	26535	8	26737	11	26943	16	28009	17
26051	10	26331	6	26536	8	26739	11	26944	16	28010	17
26052	10	26333	6	26539	8	26741	11	26945	16	28011	17
26053	10	26336	6	26540	8	26743	11	26946	16	28012	17
26054	10	26340	6	26545	8	26745	11	26947	16	28013	17
26055	10	26341	12	26547	8	26747	11	26948	16	28014	17
26056	10	26343	12	26550	8	26749	11	26949	16	28015	17
26060	10	26345	12	26555	8	26751	11	26950	16	28016	17
26061	10	26347	12	26556	8	26761	9	26951	15	28017	17
26063	10	26349	12	26560	8	26762	9	26952	15	28021	16
26065	10	26351	12	26563	8	26763	9	26953	15	28023	16
26066	10	26353	12	26570	8	26764	9	26954	15	28024	16
26068	10	26363	12	26571	13	26765	9	26955	15	28025	16
26070	10	26367	12	26572	13	26766	9	26956	15	28026	16
26072	10	26369	12	26573	13	26790	9	26957	15	28027	16
26073	10	26371	12	26574	13	26791	9	26958	17	28028	16
26074	10	26390	6	26575	13	26792	9	26959	17	28029	16
26076	10	26391	6	26576	13	26793	11	26960	17	28033	16
26079	10	26392	12	26577	13	26794	9	26961	17	28034	16
26080	10	26393	12	26578	13	26796	11	26962	16	28035	16
26090	4	26399	6	26579	13	26798	11	26963	16	28036	16
26092	5	26413	7	26581	13	26799	9	26964	16	28037	16
26093	10	26415	7	26582	13	26810	4	26965	16	28080	18
26099	4	26416	7	26583	13	26815	11	26966	16	28084	19
26100	5	26419	7	26584	13	26900	15	26967	16	28087	19
26101	5	26420	7	26585	13	26901	15	26968	16	28091	19
26102	5	26423	7	26586	13	26903	15	26969	16	28094	18
26105	5	26425	7	26587	13	26904	15	26971	15	28097	19
26107	5	26427	7	26588	13	26905	15	26972	15	28552	7
26108	5	26430	7	26589	13	26911	15	26973	15	28620	7
26109	5	26431	7	26590	8	26912	15	26974	15	28622	7
26110	5	26436	7	26591	8	26913	16	26975	17	28624	7
26113	5	26439	7	26592	8	26914	16	26976	17	28626	7
26114	5	26440	7	26593	13	26915	16	26977	17	28627	7
26115	5	26441	12	26596	13	26916	16	26978	17	28629	7
26130	10	26443	12	26598	8	26917	16	26979	17	28632	7
26132	10	26445	12	26599	8	26918	16	26980	17	28633	7
26133	10	26447	12	26701	9	26919	16	26981	17	28637	7

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Notes:
28638	7	44241	37	75018	20	75747	21	
28644	7	44245	37	75020	20	75748	21	
32607	25	44249	37	75025	20	75792	22	
32614	25	44251	37	75030	20	75800	20	
40010	13	44255	37	75035	20	75801	20	
40410	29	44259	37	75040	20	75802	21	
40414	29	44260	37	75093	23	75803	21	
40420	29	44261	37	75094	23	75810	21	
40422	29	44269	34	75095	23	75811	21	
40424	29	44290	36	75096	23	75812	21	
40425	29	44292	37	75105	20	75813	21	
40426	29	44501	26	75110	20	75814	21	
40430	29	44502	26	75115	20	75815	21	
43127	31	44503	26	75120	20	75816	21	
43128	31	44504	26	75307	20	75817	21	
43129	31	44505	26	75309	20	75820	21	
43132	32	44506	26	75313	20	75821	21	
43136	32	44507	26	75315	20	75822	21	
43137	31	44508	26	75320	20	75823	21	
43138	32	44509	26	75322	20	75824	21	
43139	31	44510	26	75325	20	75825	21	
43140	32	44511	27	75327	20	75826	21	
43141	32	44512	27	75330	20	75827	21	
43142	31	44513	27	75332	20	75900	20	
43143	32	44514	27	75340	20	75901	20	
43144	32	44515	27	75342	20	75902	20	
43146	31	44518	27	75350	20	75965	23	
43147	33	44520	27	75352	20	75981	21	
43148	33	44521	27	75354	20	75983	21	
43149	30	44522	27	75356	20	75985	21	
43150	32	44523	27	75358	20	75989	21	
43151	32	44524	28	75360	20	75990	23	
43153	31	44525	28	75362	20	75991	22	
43154	31	44526	28	75364	20	75992	22	
43158	33	44527	28	75366	20	75994	22	
43162	33	44528	28	75368	20	75996	22	
43190	30	44529	28	75370	20	75999	22	
43191	30	44530	28	75372	20	91118	11,13	
43192	30	44531	28	75395	22	92190	9	
43612	33	44532	28	75703	20	92191	8	
43618	33	44533	28	75704	20	95190	14	
43624	33	44590	18	75705	20	96800	14	
43643	33	56801	25	75706	20			
44200	36	56812	24	75707	20			
44206	35	56813	25	75708	20			
44212	34	56815	24	75709	20			
44213	34	56818	24	75710	20			
44214	34	56825	24	75715	20			
44217	35	56830	25	75720	20			
44218	35	56833	25	75727	20			
44220	35	56871	25	75728	20			
44221	35	62990	14	75729	20			
44222	36	62993	14	75735	20			
44224	36	62994	14	75739	20			
44227	36	62995	14	75742	20			
44237	36	65090	14	75743	21			
44238	36	75008	20	75744	21			
44239	36	75012	20	75745	21			
44240	36	75015	20	75746	21			

(800) 494-6104
 fax: (800) 494-7456
 email: cservice@wihatools.com
 www.wihatools.com

**SEE OUR GREAT
 WEB SPECIALS!**



Wiha Quality Tools

1348 Dundas Circle
 Monticello, MN 55362
 tel: 763.295.6591
 fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
 Brampton, ONT L6T 4X4
 tel: 866.494.0096 or 763.295.6591
 fax: 763.295.6598


To:

Catalog Item No. 99006.w0
 version - 5/15/14

Subject to change without notice

©2014 Willi Hahn Corporation

®Torx is a registered trademark of
 Acument Intellectual Properties LLC.




91330.w0 - Tooling Catalog



99004.w0 - Shop Tools Catalog



99914.w0 - TORX Catalog



99002.w0 - Screwdrivers Catalog



99919.w0 - Insulated Catalog



99001.w0 - TorqueControl Catalog



99934.w0 - Hex Tools Catalog



99951.w0 - Bits Catalog



99945.w0 - ESD Catalog



99977.w0 - Pliers/Crimpers Catalog